

PC CARRIER TAPE

UpDate : 2024/06/07

Item	Bo	Ao	Ko	t	W x P	length	Remark
3CP60860	1.05	1.01	0.69	0.20	8X4	1000m	
18-038T	1.13	1.13	0.85	0.20	8X4	1450m	
16-916	1.15	0.58	0.45	0.20	8X4	1200m	
P/N62172	1.18	0.90	0.40	0.23	8X4	1200m	
B3053	1.22	1.22	0.65	0.22	8X4	1200m	
UN121009	1.23	1.00	0.90	0.20	8X4	1000m	
HT-282	1.28	0.60	0.50	0.22	8X4	500m	
160805B(121005A)	1.45	1.15	0.65	0.23	8X4	2000m	
WCM1208	1.45	1.00	1.15	0.23	8X4	1200m	
0503	1.46	0.90	0.85	0.23	8X4	1000m	底部不噴砂
0503-1	1.46	0.90	0.65	0.23	8X4	2000m	
13513555	1.53	1.53	0.70	0.23	8X4	1000m	異形模
160808S	1.65	1.55	0.70	0.23	8X4	1200m	異形模
WCM1608	1.65	1.00	1.18	0.23	8X4	1200m	
161606	1.75	1.70	0.78	0.22	8X4	1200m	
HLC-0603	1.78	1.15	0.95	0.22	8X4	1200m	底部不噴砂
WCM 160808	1.78	1.05	0.90	0.22	8X4	1000m	
121812	1.78	1.21	1.21	0.20	8X4	1000m	
M6-620152	1.78	2.20	0.83	0.22	8X4	1150m	
160806	1.80	0.94	0.52	0.20	8X4	1200m	
0603-05T	1.80	0.95	0.50	0.20	8X4	1000m	
160808B	1.82	0.94	0.92	0.22	8X4	1200m	
160808B-1	1.82	0.94	0.92	0.20	8X4	1200m	
160808B-1(B)	1.82	0.94	0.92	0.20	8X4	1200m	
181810	1.82	1.82	1.02	0.23	8X4	1200m	
181810	1.82	1.82	1.02	0.23	8X4	1500m	
12-2247-24	1.83	1.09	1.19	0.22	8X4	1000m	
SWF1608+A-0	1.85	1.25	1.25	0.22	8X4	1000m	
SWF1608+A	1.85	1.25	1.25	0.22	8X4	1000m	
PWC0603	1.85	1.05	1.15	0.23	8X4	1000m	
160808A	1.85	1.07	1.05	0.22	8X4	1200m	底部不噴砂
160808A-1	1.85	1.07	1.05	0.22	8X4	1200m	
1604-000041(160808L)	1.85	1.01	1.02	0.22	8X4	1200m	
160807	1.85	0.95	0.62	0.22	8X4	1200m	底部不噴砂
19-213	1.85	0.88	0.75	0.20	8X4	1200m	
FMS0603	1.85	1.05	0.65	0.20	8X4	1000m	
160808C-1(B)	1.88	1.30	1.10	0.20	8X4	1200m	
160808C-1(B) PC3	1.88	1.30	1.10	0.20	8X4	800m	
0603LS	1.95	1.30	1.00	0.23	8X4	1200m	
LSQ0706-5N6	1.95	1.55	1.75	0.23	8X4	700m	
160807-1	1.95	0.95	0.62	0.20	8X4	1200m	
160808L1	1.96	1.05	1.05	0.23	8X4	1200m	
160808L1-A	1.96	1.05	1.05	0.23	8X4	1200m	
160808L1-1	1.96	1.05	1.05	0.23	8X4	1200m	

昇洲精密股份有限公司

CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PC CARRIER TAPE

UpDate : 2024/06/07

Item	Bo	Ao	Ko	t	W x P	length	Remark
66-219	1.97	1.12	0.66	0.25	8X4	1000m	
48-112	2.06	1.30	0.64	0.20	8X4	1000m	
201212-6	2.10	1.28	1.28	0.22	8X4	1000m	
LICC-10-0540P	2.10	1.48	1.10	0.22	8X4	1000m	
P/N62153	2.13	2.03	0.50	0.22	8X4	250m	
201205	2.15	1.15	0.60	0.23	8X4	1200m	
201107	2.15	1.22	0.85	0.23	8X4	1000m	
PCW080413G	2.15	0.95	1.35	0.23	8X4	900m	
212110	2.15	2.15	1.05	0.23	8X4	1000m	
2016	2.15	1.85	1.05	0.23	8X4	1500m	
243207	2.15	1.73	0.90	0.22	8X4	1000m	
27CC103249PQ(221513)	2.15	1.45	1.25	0.23	8X4	1000m	
27CC103244P	2.15	1.45	1.10	0.22	8X4	1150m	
27CC103254PQ(221414)	2.18	1.40	1.40	0.22	8X4	900m	
US012071	2.21	2.21	0.51	0.25	8X4	1000m	
12-1438-24	2.21	2.21	1.19	0.22	8X4	1000m	
0805	2.22	1.48	1.45	0.24	8X4	900m	
2016-1	2.23	1.88	0.90	0.23	8X4	1000m	
201212-7	2.25	1.53	1.48	0.22	8X4	1500m	
201209	2.25	1.42	1.04	0.22	8X4	1000m	
201209-1	2.25	1.85	1.05	0.22	8X4	1200m	
201209-2	2.25	1.42	0.95	0.22	8X4	1150m	
27IDC100539P(201209-2)	2.25	1.42	1.00	0.22	8X4	1000m	
201212-2	2.25	1.35	1.40	0.22	8X4	900m	
0805-1	2.25	1.50	1.35	0.24	8X4	900m	
201208	2.25	1.32	0.80	0.22	8X4	1200m	
201212-3	2.25	1.35	1.35	0.23	8X4	900m	
27CC103253P(201212-3)	2.25	1.40	1.35	0.25	8X4	1000m	
27CC103253P(K-201212-3)	2.25	1.40	1.35	0.25	8X4	1000m	
201107-1	2.25	1.22	0.85	0.23	8X4	1000m	
669727T	2.25	1.43	1.42	0.22	8X4	1000m	
27CC103255P(669727T)	2.25	1.43	1.42	0.22	8X4	1000m	
27CC103255P(K-669727T)	2.25	1.43	1.42	0.22	8X4	1000m	
CMA2010090	2.25	1.30	1.10	0.23	8X4	1000m	底部不噴砂
27CC103257P(201212-7)	2.25	1.53	1.48	0.22	8X4	1000m	
152213(2012-1.30T)	2.25	1.50	1.30	0.23	8X4	1500m	
0805-1+A	2.25	1.50	1.35	0.24	8X4	900m	底部不噴砂
201017	2.25	1.10	1.85	0.26	8X4	700m	
2012-1.8T	2.25	1.50	1.80	0.23	8X4	1500m	
201209-0.6	2.25	1.42	1.04	0.22	8X4	1000m	
201209-0.6-0	2.25	1.42	1.04	0.22	8X4	1000m	
201610-1	2.25	1.80	1.30	0.23	8X4	900m	
201610-1	2.25	1.90	1.30	0.23	8X4	900m	
PB81-01001H(221810)	2.25	1.85	1.05	0.22	8X4	1500m	

PC CARRIER TAPE

UpDate : 2024/06/07

Item	Bo	Ao	Ko	t	W x P	length	Remark
WCM201212-2+A	2.25	1.35	1.40	0.23	8X4	900m	
0805-4	2.26	1.42	1.30	0.23	8X4	1000m	底部不噴砂
221506	2.27	1.50	0.70	0.22	8X4	1200m	
201612+A	2.30	1.90	1.30	0.23	8X4	1000m	底部不噴砂
SOT-22	2.30	2.25	1.10	0.23	8X4	1000m	凸模
201610-1.5T	2.30	1.90	1.15	0.23	8X4	1200m	
201612	2.30	1.90	1.30	0.23	8X4	1000m	
C62099-A294-C74-52	2.30	2.30	1.10	0.25	8X4	1000m	
201209A	2.32	1.50	1.08	0.22	8X4	1150m	
0805-5	2.33	1.48	1.08	0.28	8X4	1000m	
201210	2.34	1.50	1.22	0.22	8X4	1000m	
231511	2.34	1.50	1.10	0.23	8X4		
APO201216V-0+A	2.35	1.55	1.80	0.23	8X4	800m	不噴砂
201209B	2.35	1.38	1.00	0.23	8X4	1150m	
201212	2.35	1.50	1.45	0.22	8X4	900m	
2710L3257P(201212)	2.35	1.50	1.45	0.22	8X4	900m	
2710L3257P(K-201212)	2.35	1.50	1.45	0.22	8X4	900m	
27CC10L3257P(201212)	2.35	1.50	1.45	0.22	8X4	900m	泰國廠使用
SW0805	2.35	1.55	1.55	0.24	8X4	900m	底部不噴砂
201209C	2.35	1.45	1.15	0.22	8X4	600m	
201209C	2.35	1.45	1.15	0.22	8X4	1000m	
FLC201614	2.35	1.65	1.30	0.23	8X4	1000m	底部不噴砂
201212-5	2.35	1.50	1.45	0.28	8X4	900m	底部不噴砂
201212-5 (1.0)	2.35	1.50	1.45	0.28	8X4	900m	
201212-5-0	2.35	1.50	1.45	0.28	8X4	900m	
201212-8	2.35	1.50	1.45	0.22	8X4	900m	
SW0805-2	2.40	1.55	1.55	0.24	8X4	900m	
201409	2.40	1.60	1.05	0.25	8X4	1200m	
201609	2.40	1.88	1.00	0.23	8X4	1200m	
LCN0805-6	2.40	1.95	1.50	0.22	8X4	850m	
241707	2.40	1.67	0.70	0.25	8X4	1200m	
242075	2.40	2.00	0.75	0.23	8X4	1500m	
LCN0805	2.40	1.88	1.35	0.22	8X4	900m	
WCM201209-120	2.40	1.60	1.15	0.23	8X4	1000m	
HLC0805	2.45	1.87	1.46	0.23	8X4	850m	
TM-2424	2.45	2.45	1.40	0.23	8X4	1000m	
201815+A	2.45	1.85	1.50	0.23	8X4	1000m	底部不噴砂
201815+A-0	2.45	1.85	1.50	0.23	8X4	1000m	
231715-0805	2.45	1.90	1.62	0.23	8X4	850m	
2012RIF+A	2.45	1.65	1.40	0.23	8X4	1000m	
SW0805-1	2.50	1.60	1.55	0.22	8X4	900m	
0805-2	2.50	1.60	1.25	0.22	8X4	1000m	
0805-2-0	2.50	1.60	1.25	0.22	8X4	1000m	
201616	2.50	1.85	1.70	0.23	8X4	800m	

PC CARRIER TAPE

UpDate : 2024/06/07

Item	Bo	Ao	Ko	t	W x P	length	Remark
1008A	2.50	2.00	1.20	0.22	8X4	1000m	
08-251512	2.55	1.72	1.30	0.22	8X4	1000m	
0805-9	2.60	2.10	1.55	0.22	8X4	800m	
CEA10-804383	2.65	1.60	1.75	0.23	8X4	900m	
11-239N(292A)	2.65	1.45	1.45	0.23	8X4	1000m	異形模
201107-2	2.70	1.30	0.90	0.22	8X4	1000m	
252008	2.70	2.20	0.95	0.23	8X4	1200m	
252011	2.74	2.27	1.18	0.23	8X4	1000m	
252013	2.74	2.27	1.40	0.23	8X4	1000m	
2520-0.8T	2.74	2.27	0.95	0.23	8X4	1000m	
252011A	2.74	2.27	1.18	0.23	8X4	1000m	
2520	2.75	2.20	2.00	0.22	8X4	700m	
DDSP84002A	2.75	2.40	0.70	0.25	8X4	1500m	
PB69-00004C	2.75	2.40	0.70	0.25	8X4	1500m	
CDXF-1005	2.80	1.45	1.00	0.23	8X4	1000m	底部不噴砂
C62365-A2-C33	2.80	2.30	1.60	0.25	8X4	800m	
1008B	2.80	1.50	1.20	0.23	8X4	1000m	異形模
281908	2.80	1.90	0.90	0.23	8X4	1500m	
2520-1.1T	2.80	2.30	1.10	0.23	8X4	1000m	
SNL2520-2+A	2.82	2.10	2.00	0.24	8X4	700m	
252822	2.83	2.25	2.30	0.23	8X4	700m	
LCN1008	2.83	2.61	2.05	0.24	8X4	650m	底部不噴砂
1008	2.83	2.20	1.75	0.22	8X4	750m	
12-2253-24	2.84	2.24	1.42	0.23	8X4	1000m	
2520-1	2.85	2.35	2.10	0.23	8X4	700m	
252010S	2.85	2.30	1.20	0.23	8X4	1000m	
2520-1.2T(252012-1)	2.85	2.30	1.35	0.23	8X4	1000m	
252012	2.85	2.20	1.15	0.22	8X4	1150m	
SOD-323S	2.86	1.42	0.89	0.20	8X4	1000m	
SOD-323NS	2.86	1.42	0.89	0.20	8X4	1000m	
SOD-323NS-1	2.86	1.42	0.89	0.20	8X4	1000m	
1008-04	2.90	2.73	2.34	0.25	8X4	700m	
SOT-23	2.90	3.05	1.35	0.22	8X4	1000m	凸模
10848	2.90	1.40	1.30	0.22	8X4	1000m	
SOT-23(8821)	2.90	3.10	1.35	0.22	8X4	1000m	
292925	2.90	2.90	2.50	0.25	8X4	600m	
KC-0804-301(5015)	2.92	1.22	1.65	0.28	8X4	800m	
LCN1008-2+A	2.93	2.40	2.25	0.26	8X4	650m	底部不噴砂
LCN1008-1	2.93	2.61	2.25	0.26	8X4	650m	
28108C1	2.95	1.10	0.95	0.23	8X4	1000m	
28108-2	2.95	1.10	0.95	0.23	8X4	1000m	凸模
252018	2.95	2.50	2.05	0.23	8X4	650m	
SNL2520+A	2.95	2.20	2.00	0.24	8X4	700m	
2814A	3.00	1.55	1.10	0.23	8X4	1000m	

PC CARRIER TAPE

UpDate : 2024/06/07

Item	Bo	Ao	Ko	t	W x P	length	Remark
272412	3.00	2.60	1.35	0.23	8X4	1000m	
302511	3.00	2.50	1.13	0.25	8X4	1000m	
2808S	3.02	1.37	0.89	0.23	8X4	1000m	
LMT 3010A	3.05	1.35	0.95	0.20	8X4	1000m	
239-UNI	3.05	1.45	1.35	0.23	8X4	1000m	
3030	3.08	3.15	0.75	0.23	8X4	1000m	
2520-2	3.10	2.45	1.40	0.23	8X4	900m	
321006	3.10	1.00	0.75	0.23	8X4	600m	
C62365-A2-C14	3.10	2.90	1.10	0.25	8X4	1000m	
50-215B(T)	3.10	1.50	1.38	0.23	8X4	1000m	
239	3.12	1.55	1.40	0.20	8X4	1000m	
LMT 3020A	3.15	2.10	0.90	0.23	8X4	1000m	
TPI 3015	3.15	3.15	1.70	0.22	8X4	800m	底部不噴砂
TPI301C140	3.15	3.15	1.40	0.22	8X4	900m	底部不噴砂
3008504	3.15	1.00	0.60	0.22	8X4	1000m	
3008506	3.15	1.00	0.80	0.22	8X4	1200m	
AHP3008RA	3.15	3.15	0.95	0.23	8X4	1000m	
45-21	3.19	2.13	1.56	0.25	8X4	1000m	
322506	3.20	2.55	0.60	0.30	8X4	1200m	
3020	3.20	2.00	1.40	0.23	8X4	900m	
SMD3014CT1	3.20	1.35	1.50	0.23	8X4	800m	
LT-3014	3.20	1.55	0.95	0.23	8X4	1000m	
3014	3.20	1.55	1.05	0.23	8X4	1000m	
50-215C	3.20	1.53	0.72	0.24	8X4	1000m	
031E	3.20	3.20	1.90	0.30	8X4	1000m	
322015	3.23	2.23	1.53	0.25	8X4	700m	
PC-32525	3.25	3.25	2.40	0.23	8X8	600m	
1210	3.25	2.55	1.50	0.22	8X4	1100m	
50-215	3.25	1.55	1.48	0.23	8X4	1000m	
50-215A	3.25	1.55	1.48	0.25-0.28	8X4	1000m	
1204-RGB	3.25	1.66	1.27	0.23	8X4	1000m	異形模
CPI 302510	3.25	2.65	1.10	0.23	8X4	1000m	
CPI 302512	3.25	2.65	1.35	0.23	8X4	900m	
50-215(u-pec)	3.25	1.55	1.48	0.23	8X4	1000m	
HT-T136	3.25	1.60	1.10	0.22	8X4	1000m	
262112(1210)	3.25	2.55	1.50	0.22	8X4	1100m	
TM3012	3.30	3.30	1.40	0.23	8X4	1000m	底部不噴砂
TM3015	3.30	3.30	1.70	0.23	8X4	800m	底部不噴砂
LPS3015+A	3.30	3.25	1.80	0.26	8X4	900m	底部不噴砂
LPS3010+A	3.30	3.30	1.35	0.25	8X4	1000m	底部不噴砂
26-61	3.30	2.90	1.40	0.25	8X4	900m	異形模
27CC103368PQ	3.30	1.75	1.75	0.24	8X4	850m	
WNL291718+A	3.30	2.15	2.20	0.24	8X4	650m	
322510	3.35	2.70	1.00	0.22	8X4	1200m	底部不噴砂

PC CARRIER TAPE

UpDate : 2024/06/07

Item	Bo	Ao	Ko	t	W x P	length	Remark
3216-1.25T	3.35	1.75	1.25	0.23	8X4	1000m	
321610	3.40	1.77	1.04	0.22	8X4	1200m	
SOT-23-11-1	3.40	3.26	1.40	0.22	8X4	1000m	凸模
322506-1	3.40	2.75	0.70	0.25	8X4	1200m	底部不噴砂
321615(1206-02)	3.40	1.80	1.80	0.23	8X4	600m	
1206-02	3.40	1.80	1.80	0.23	8X4	600m	
322513	3.42	2.77	1.55	0.22	8X4	800m	
322513+A	3.42	2.77	1.55	0.22	8X4	800m	底部不噴砂
321611-1	3.42	1.81	1.26	0.22	8X4	1000m	
27CC103480PQ	3.43	2.72	2.10	0.26	8X4	650m	
27CC103490PQ	3.43	2.72	2.27	0.26	8X4	500m	
27IDC100648P(321611)	3.45	1.80	1.22	0.22	8X4	1000m	
321609	3.45	1.88	1.05	0.22	8X4	1000m	
321616-3	3.45	1.77	1.80	0.25	8X4	1600m	
321620-2	3.45	1.75	2.00	0.23	8X4	600m	
DDSP840031	3.45	2.35	0.70	0.25	8X4	250m	
27CC103369P(321515)	3.45	1.75	1.75	0.24	8X4	700m	
322521	3.45	2.75	2.35	0.26	8X4	600m	
27CC1034106PQ(342827)	3.45	2.80	2.72	0.25	8X4	600m	
321515	3.45	1.75	1.75	0.24	8X4	700m	
183519	3.48	1.80	1.95	0.23	8X4	1500m	
321611	3.50	1.88	1.27	0.22	8X4	1000m	
321616-1	3.50	1.90	1.80	0.25	8X4	600m	
321611-2	3.50	1.85	1.35	0.23	8X4	1000m	
27LICC100653P(321611-2)	3.50	1.85	1.35	0.23	8X4	1000m	
321611-3	3.50	1.88	1.27	0.23	8X4	600m	
321620	3.50	1.88	2.10	0.22	8X4	650m	
321620+A	3.50	1.88	2.20	0.26	8X4	800m	底部不噴砂
321620-1	3.50	1.80	2.00	0.22	8X4	650m	
3216-0.6T	3.50	1.85	0.73	0.23	8X4	1000m	
HT-159	3.50	2.10	1.75	0.23	8X4	600m	異形模
3216-1.50T	3.50	1.90	1.50	0.23	8X4	750m	
3216-1.50T	3.50	1.90	1.50	0.23	8X4	1500m	
27CC103370P(TTP1206)	3.50	1.80	1.77	0.24	8X4	800m	
TTP1206	3.50	1.80	1.77	0.24	8X4	800m	
27CC103487PQ(322522-1)	3.50	2.70	2.20	0.26	8X4	650m	
WCM3225	3.50	2.70	2.20	0.26	8X4	650m	
372925	3.52	2.72	2.52	0.26	8X4	1500m	
321616	3.53	1.88	1.80	0.22	8X4	800m	
27CC103371P(321616)	3.53	1.88	1.80	0.22	8X4	1000m	
321612	3.53	1.94	1.42	0.23	8X4	900m	
322525	3.55	2.80	2.60	0.26	8X4	500m	底部不噴砂、異形模
321616-2	3.55	1.88	1.80	0.25	8X4	600m	
321616-2-1	3.55	1.90	1.85	0.25	8X4	1600m	

昇洲精密股份有限公司

CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PC CARRIER TAPE

UpDate : 2024/06/07

Item	Bo	Ao	Ko	t	W x P	length	Remark
322510S	3.55	2.80	1.20	0.23	8X4	1000m	
3225-2.85CT-EB	3.55	2.75	2.85	0.30	8X4	500m	
322516	3.56	2.85	1.80	0.23	8X4	700m	
27CC103474PQ	3.56	2.75	1.88	0.23	8X4	650m	
322518	3.56	2.69	2.05	0.23	8X4	700M	
27CC103353P(3216-1.35T)	3.60	1.90	1.35	0.23	8X4	1000m	
3216-1.95T	3.60	1.95	1.95	0.25	8X4	1500m	
362827(1210T100+)	3.60	2.80	2.72	0.30	8X4	500m	
27CC103381PQ	3.65	2.30	2.05	0.24	8X4	650m	
322522	3.65	2.88	2.50	0.26	8X4	600m	
352522-WCM3225	3.65	2.88	2.50	0.26	8X4	600m	
352522-WCM3225	3.65	2.88	2.50	0.26	8X4	600m	不噴砂
322522-2	3.65	2.67	2.50	0.26	8X4	500m	
322522-2	3.65	2.67	2.50	0.26	8X4	650m	
67-21	3.65	2.84	2.08	0.23	8X4	1000m	
362817	3.65	2.80	1.70	0.23	8X4	800m	
3652953	3.65	2.95	2.90	0.26	8X4	450m	
27CC1034114PQ(3652953)	3.65	2.95	2.90	0.26	8X4	450m	
27CC103463P	3.68	2.80	1.58	0.25	8X4	850m	
CDSWM(361508)	3.70	1.70	0.95	0.23	8X4	1200m	
352722	3.70	2.97	2.55	0.26	8X4	600m	
352522-6	3.71	2.84	2.57	0.28	8X4	500m	
322522-3	3.71	2.75	2.57	0.30	8X4	600m	底部不噴砂
27CC10L34110PQ	3.71	2.80	2.80	0.30	8X4	500m	
27CC10L3374PQ	3.71	1.88	1.88	0.23	8X4	800m	
352522	3.72	2.88	2.50	0.26	8X4	600m	
27CC103378PQ	3.72	1.99	1.99	0.23	8X4	900m	
2835	3.75	2.95	0.90	0.25	8X4	1000m	
Melf-02	3.75	1.90	1.60	0.22	8X4	850m	
CC-10-XL3493PQ*(1210 product B)	3.76	2.82	2.36	0.24	8X4	650m	
27CC103462P(362513)	3.78	2.77	1.57	0.23	8X4	1000m	
223B(B)	3.83	3.20	2.17	0.25	8X4	700m	
361614	3.84	1.88	1.57	0.23	8X4	1000m	
CC-10-XL34110PQ*(1210 product A)	3.84	2.82	2.82	0.26	8X4	500m	
361515	3.85	1.76	1.70	0.22	8X4	800m	底部不噴砂
361515-1	3.85	1.76	1.70	0.22	8X4	800m	
SOD-123MHS	3.85	2.00	1.10	0.20	8X4	1000m	
PC Sheet 0825D	-	-	-	0.25	-	500m	
696905	0.80	0.80	0.63	0.22	8X4	1200m	
3CP40634	1.00	1.00	0.73	0.20	8X4	1000m	
3CP40634	1.00	1.00	0.73	0.20	8X4	500m	
16-219A	1.10	0.53	0.35	0.22	8X4	1000m	
HT-E1891	1.10	0.60	0.60	0.23	8X4	1000m	
0402E	1.10	0.70	0.55	0.20	8X4	1000m	凸模

PC CARRIER TAPE

UpDate : 2024/06/07

Item	Bo	Ao	Ko	t	W x P	length	Remark
121210	1.20	1.20	1.05	0.22	8X4	1000m	
131365	1.30	1.30	0.65	0.23	8X4	1000m	
CMF1210V3	1.40	1.20	0.90	0.23	8X4	1000m	
WCM1210	1.40	1.12	1.05	0.22	8X4	1100m	
121235	1.40	1.40	0.65	0.23	8X4	1000m	
151204	1.40	1.18	0.43	0.22	8X4	1500m	
160805A(121005)	1.50	1.20	0.65	0.23	8X4	1200m	
221518	1.50	2.25	1.80	0.23	8X4	800m	
CMF1210V1	1.50	1.20	1.00	0.22	8X4	1000m	PC-999
CMF1210V1	1.50	1.25	1.05	0.22	8X4	1000m	PC-666
160809	1.60	1.60	1.20	0.23	8X4	1000m	
160809-0	1.60	1.60	1.20	0.23	8X4	1000m	
160806A-1	1.70	0.90	0.87	0.23	8X4	1200m	
160808	1.80	1.01	1.02	0.22	8X4	1200m	
160808-1	1.80	1.01	1.02	0.23	8X4	1200m	
160812	1.80	1.00	1.30	0.22	8X4	1000m	
160812-0	1.80	1.00	1.30	0.22	8X4	1000m	
160808C	1.80	1.30	1.10	0.22	8X4	1200m	底部不噴砂
160808C-1	1.80	1.30	1.10	0.20	8X4	1200m	
160805	1.80	0.90	0.60	0.23	8X4	600m	
160806A	1.80	0.95	0.87	0.23	8X4	1200m	底部不噴砂
160806A	1.80	0.95	0.87	0.23	8X4	600m	
160807A	1.80	0.95	0.70	0.23	8X4	1200m	
DT-001	1.80	1.60	0.70	0.22	8X4	300m	
LSQ0706-5N6J	1.80	1.45	1.70	0.23	8X4	800m	
1814	1.80	1.40	0.95	0.25	8X4	1000m	
180907	1.80	0.90	0.75	0.23	8X4	1200m	
UN151519	1.80	1.60	1.60	0.22	8X4	1000m	
160808D	1.90	1.01	1.02	0.22	8X4	1200m	
LCN0603-1	1.90	1.16	0.95	0.22	8X4	1200m	底部不噴砂
160808D-1	1.90	1.30	1.25	0.22	8X4	1200m	
160808D-1 PC3	1.90	1.30	1.25	0.22	8X4	1200m	
160808E	1.90	1.40	1.15	0.23	8X4	1200m	
160808E PC3	1.90	1.40	1.15	0.23	8X4	1200m	
PB69-00004D	1.90	1.50	0.60	0.25	8X4	1500m	
PB69-00005B(1612)	1.90	1.50	1.05	0.23	8X4	1500m	
201213	1.90	1.10	1.30	0.22	8X4	1500m	
1608-1.1T	1.90	1.10	1.10	0.23	8X4	1200m	
191110	1.90	1.07	1.00	0.23	8X4	1500m	
HT-129	2.00	1.15	0.32	0.20	8X4	1000m	
1608-1.20T	2.00	1.20	1.20	0.23	8X4	1200m	
1608-1.20T	2.00	1.20	1.20	0.23	8X4	1500m	
221614	2.10	1.66	1.40	0.23	8X4	1000m	
201209-3	2.10	1.30	0.95	0.22	8X4	1200m	

昇洲精密股份有限公司

CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PC CARRIER TAPE

UpDate : 2024/06/07

Item	Bo	Ao	Ko	t	W x P	length	Remark
221812	2.20	1.75	1.20	0.23	8X4	1000m	
201517-1	2.30	1.80	1.90	0.26	8X4	700m	
201515	2.30	1.80	1.60	0.23	8X4	800m	
201515-0	2.30	1.80	1.60	0.23	8X4	800m	
DW-002	2.30	1.70	0.85	0.23	8X4	1200m	
27CC1037118PQ	2.30	2.30	1.10	0.25	8X4	1000m	
201610	2.30	1.90	1.15	0.23	8X4	1200m	
2012-0.8T(0805 FT)	2.30	1.50	0.90	0.23	8X4	1200m	
231917(0806)	2.30	1.90	1.75	0.23	8X4	1000m	
322522-1	3.50	2.70	2.20	0.26	8X4	650m	
321822	3.50	2.40	2.55	0.26	8X4	600m	
321209	3.50	1.45	1.05	0.22	8X4	1000m	
322512	3.50	2.80	1.34	0.23	8X4	900m	
352626	3.50	2.70	2.75	0.30	8X4	600m	
352626-0	3.50	2.70	2.75	0.30	8X4	600m	
352626+A	3.50	2.70	2.75	0.30	8X4	600m	底部不噴砂
39-4062-496 Ax 293D case Ax	3.50	1.77	1.90	0.30	8X4	500m	
352807	3.50	2.80	0.75	0.24	8X4	1500m	
SQC322520	3.60	2.90	2.25	0.24	8X4	650m	底部不噴砂
321608(3216Array)	3.60	1.90	1.00	0.23	8X4	1500m	底部不噴砂
27CC1034107P(362827)	3.60	2.80	2.72	0.30	8X4	500m	
351515	3.70	1.60	1.65	0.22	8X4	850m	
351515-1	3.70	1.60	1.65	0.22	8X4	850m	
361508	3.70	1.70	0.95	0.23	8X4	1000m	
352612	3.70	2.90	1.32	0.23	8X4	900m	
352722-0	3.70	2.97	2.55	0.26	8X4	600m	
371822+A	3.70	1.85	2.25	0.24	8X4	600m	
1008-02	3.80	3.00	2.20	0.23	8X4	650m	底部不噴砂
1008-02-1	3.80	3.10	2.40	0.23	8X4	600m	
351816	4.00	1.90	1.70	0.23	8X4	850m	