

PC CARRIER TAPE

UpDate : 2024/05/08

Item	Bo	Ao	Ko	t	W x P	length	Remark
12-1595-24	1.47	1.93	1.42	0.25	12X4	800m	
12-1600-24	1.47	1.93	1.60	0.25	12X4	500m	
12-1596-24	1.75	1.88	1.55	0.25	12X4	800m	
12-1601-24	1.78	1.96	1.57	0.25	12X4	800m	
12-1602-24	2.06	1.93	1.60	0.25	12X4	800m	
12-1597-24	2.08	1.88	1.52	0.25	12X4	500m	
LSQ0806-12N	2.08	2.05	1.52	0.25	12X4	500m	
12-1603-24	2.39	1.93	1.68	0.25	12X4	800m	
12-1598-24	2.41	1.93	1.50	0.25	12X4	500m	
M4-620139	2.70	3.20	1.40	0.23	12X8	900m	
12-1599-24	2.74	1.91	1.55	0.25	12X4	500m	
12-1604-24	2.77	1.93	1.68	0.25	12X4	800m	
12-1442-24	3.05	3.05	1.14	0.23	12X8	700m	
323023+A	3.15	3.00	2.31	0.25	12X8	450m	
0908-25N	3.15	2.25	2.05	0.24	12X4	650m	
12-1440-24	3.23	3.23	1.65	0.26	12X8	500m	
P2-333320	3.30	3.30	2.05	0.25	12X8	580m	
12-1442-24	3.35	3.35	1.27	0.23	12X8	700m	
3010+A	3.35	3.50	1.55	0.25	12X8	453m	底部不噴砂
3015+A	3.35	3.50	1.90	0.25	12X8	453m	底部不噴砂
3020+A	3.35	3.50	2.40	0.30	12X8	453m	底部不噴砂
3236	3.40	3.75	1.20	0.24	12X8	600m	
323023+A	3.40	3.00	2.31	0.25	12X8	450m	
PB69-00004A	3.50	2.80	1.00	0.30	12X4	1500m	
TM-3434	3.60	3.60	2.20	0.24	12X8	450m	
36529528	3.65	2.95	2.80	0.26	12X8	300M	
322522-W12	3.65	2.88	2.50	0.26	12X4	500m	
F-166	3.70	3.75	1.45	0.24	12X8	500m	
TM-3434-1	3.70	3.65	2.20	0.24	12X8	450m	
352522-2	3.72	2.88	2.50	0.26	12X4	600m	
352522-2	3.72	2.88	2.50	0.26	12X4	500m	
3532	3.80	3.40	2.50	0.26	12X8	400m	
373722	3.85	3.85	3.00	0.24	12X8	400m	
3939215	3.90	3.90	2.15	0.26	12X8	400m	
TXF-353229-1	3.90	3.55	3.20	0.30	12X8	300m	
020D	3.90	1.15	0.75	0.24	12X4	1000m	
392818	3.90	2.80	1.80	0.25	12X4	450m	
3811-1	3.95	1.20	1.20	0.25	12X4	600m	底部不噴砂
1008-03	3.99	3.81	2.49	0.25	12X8	400m	
380812	4.00	1.35	1.00	0.24	12X4	1000m	
99-116	4.00	1.40	0.85	0.25	12X4	1000m	
HT-V106	4.00	1.35	0.72	0.25	12X4	1000m	
PL-381801CT	4.00	2.00	0.40	0.24	12X4	1000m	
380810	4.05	1.15	0.95	0.24	12X4	1000m	

PC CARRIER TAPE

UpDate : 2024/05/08

Item	Bo	Ao	Ko	t	W x P	length	Remark
KC-1204-301(5016)	4.06	2.20	2.45	0.30	12X4	350m	
H-002	4.10	2.95	2.40	0.35	12X8	360m	異形模
322515+A	4.10	2.70	1.75	0.24	12X4	800m	底部不噴砂
41519	4.15	4.13	1.90	0.24	12X8		
454012(12-1439-24)	4.19	4.19	1.32	0.25	12X8	500m	
*HT-V135-B	4.20	1.55	1.17	0.25	12X4	1000m	異形模
4008-2	4.20	1.40	1.10	0.23	12X4	1000m	
401465	4.20	1.60	0.78	0.24	12X4	1000m	
HT-V135-1	4.20	1.55	1.02	0.25	12X4	500m	
SV-116	4.20	1.40	0.85	0.24	12X4	450m	異形模
518	4.24	1.54	1.02	0.25	12X4	500m	
HT-V135	4.30	1.70	1.00	0.28	12X4	500m	
UNI-4010	4.30	1.25	0.75	0.24	12X4		
UNI-4010-135	4.30	1.35	0.75	0.24	12X4		
4010+A	4.35	4.50	1.55	0.25	12X8	453m	底部不噴砂
4015+A	4.35	4.50	1.90	0.25	12X8	453m	底部不噴砂
4018+A	4.35	4.50	2.20	0.30	12X8	453m	底部不噴砂
433235	4.35	3.25	3.50	0.26	12X8		
454508	4.35	4.35	0.65	0.25	12X8	1000m	底部不噴砂
292BR20G(292B)	4.35	3.60	1.50	0.26	12X4	500m	異形模
4008-3	4.35	1.33	0.95	0.23	12X4	1000m	
403023	4.40	3.30	2.50	0.26	12X8	450m	
SOT-89	4.40	4.80	1.80	0.24	12X8	450m	
421409	4.40	1.55	1.10	0.25	12X4	1000m	
403020-PC	4.45	3.25	2.25	0.24	12X8	400m	
1812	4.60	3.35	1.15	0.22	12X8	1000m	
CC-10-3686P	4.60	2.20	2.20	0.26	12X4	350m	
27CC103686P(1808)	4.60	2.20	2.20	0.26	12X4	400m	
452520	4.70	2.20	2.95	0.30	12X8	300m	
453215-A	4.70	3.45	1.60	0.24	12X8	450m	
AWP4010	4.70	4.20	1.05	0.30	12X8	600m	
451616-A	4.70	1.75	1.75	0.24	12X4	450m	
473526	4.78	3.51	2.63	0.26	12X8		
453222	4.80	3.57	2.25	0.30	12X8	350m	
453226	4.80	3.57	2.80	0.30	12X8	300m	
FBC302540	4.80	3.30	3.10	0.28	12X8	450m	
BPH403025	4.80	3.25	3.05	0.28	12X8	700m	
27CC1035111P(483527)	4.85	3.55	2.82	0.26	12X8	300m	
451616-1	4.85	1.85	1.85	0.24	12X4	450m	
453220+A	4.85	2.85	2.15	0.25	12X4	400m	底部不噴砂
27CC10L3665P(1808-60)	4.85	2.20	1.65	0.26	12X4	400m	
27CC10L3686P(1808-80)	4.85	2.20	2.20	0.26	12X4	400m	
SQV453226	4.90	3.60	3.00	0.26	12X8	300m	
042T-6R8-0	4.90	4.60	2.15	0.30	12X8	400m	

昇洲精密股份有限公司

CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PC CARRIER TAPE

UpDate : 2024/05/08

Item	Bo	Ao	Ko	t	W x P	length	Remark
374919 (450M)	4.90	3.70	1.95	0.26	12X8	450m	
403025	4.90	3.60	3.00	0.26	12X8	300m	底部不噴砂
AV002	4.90	4.05	1.10	0.25	12X8	500m	
US033091	4.90	3.53	2.01	0.24	12X8	400m	
451612	4.90	1.90	1.35	0.24	12X4	600m	
US033071	4.93	3.45	1.68	0.24	12X8	450m	
12-1481-24	4.94	4.99	1.12	0.29	12X8	1000m	
453213	4.95	3.53	1.73	0.24	12X8	450m	
453212	4.95	3.60	1.30	0.24	12X8	600m	
453215	4.95	3.66	1.85	0.24	12X8	500m	
NL453232	4.95	3.31	3.50	0.35	12X8	250m	底部不噴砂
451616	4.95	1.93	1.93	0.24	12X4	450m	
452016	4.95	2.20	1.80	0.24	12X4	450m	底部不噴砂
452020	4.95	2.20	2.20	0.24	12X4	350m	底部不噴砂
CEA10-804382	4.95	3.03	2.13	0.30	12X4	400m	
PC-PAS4420C-A	5.00	2.50	2.20	0.30	12X8	450m	
135010	5.00	1.35	1.00	0.24	12X4	1000m	
SMA-1	5.00	2.80	1.90	0.24	12X4	450m	
WCM4525	5.00	3.00	2.40	0.25	12X4	350m	
12-1517-24	5.08	5.08	3.10	0.30	12X8	250m	
453232L	5.10	3.60	2.80	0.30	12X8	250m	
506520	5.15	6.30	2.05	0.30	12X8	400m	
453232B	5.20	3.65	3.60	0.35	12X8	250m	
SOIC08	5.20	6.40	2.10	0.30	12X8	400m	
2010-1	5.20	2.70	0.60	0.26	12X4	1000m	
PP6N-XL	5.25	4.20	2.20	0.25	12X8	480m	
TM-5050	5.25	5.25	3.15	0.35	12X8	250m	
506520-1	5.30	6.50	2.10	0.27	12X8	400m	底部不噴砂
SMA-S	5.30	2.80	1.80	0.25	12X4	450m	
MELF-01	5.30	3.00	3.00	0.25	12X4	400m	
5015+A	5.35	5.50	1.90	0.30	12X8	453m	底部不噴砂
5020+A	5.35	5.50	2.40	0.30	12X8	453m	底部不噴砂
SMA-3	5.35	2.85	2.30	0.30	12X4	450m	
525230	5.40	5.40	3.20	0.30	12X8	250m	
SMB	5.40	3.80	2.60	0.30	12X8	350m	底部不噴砂
2010	5.45	2.77	0.84	0.24	12X4	900m	
375535 (250M)	5.50	3.75	3.55	0.30	12X8	250m	
27IDC100539P(201209-2)	5.50	5.70	1.75	0.30	12X8	500m	
SMA-H	5.50	3.00	1.20	0.25	12X4	700m	底部不噴砂
SMA-S-1	5.50	3.00	2.00	0.25	12X4	600m	
KC-SMD-301	5.59	2.79	2.92	0.25	12X4	250m	
572513	5.60	2.30	1.40	0.24	12X4	650m	底部不噴砂
SMA303	5.80	3.07	3.08	0.27	12X8	250m	
SMA-203	5.80	3.12	3.08	0.25	12X4	250m	

PC CARRIER TAPE

UpDate : 2024/05/08

Item	Bo	Ao	Ko	t	W x P	length	Remark
554030	5.82	4.09	3.33	0.32	12X8	250m	
563008	5.85	3.35	1.10	0.25	12X4	1000m	
554030-2	5.90	4.09	3.30	0.35	12X8	250m	異形模
LED-5050	5.90	5.50	1.85	0.25	12X8	450m	
575020	5.95	5.35	2.20	0.26	12X8	300m	
27CC10S3787PQ(575020)	5.95	5.35	2.20	0.26	12X8	300m	
27CC103764P(2220-KO1.63)	6.00	5.06	1.63	0.26	12X8	400m	
27CC103774P(2220-KO1.88)	6.00	5.06	1.88	0.26	12X8	400m	
MELF-4	6.15	2.40	2.35	0.26	12X4	400m	
27CC1037118PQ	6.20	5.55	3.00	0.26	12X8	450m	
QFNB665510	6.50	5.65	1.25	0.24	12X8	1000m	PC999
QFNB665510	6.65	5.75	1.25	0.24	12X8	1000m	PC666
PC Sheet 1225D	-	-	-	0.25	-	500	
383417	3.85	3.40	1.70	0.24	12X8	450m	
453232-6	4.90	3.61	3.51	0.36	12X8	200m	
27CC1037102P(2220-KO2.60)	6.00	5.10	2.60	0.26	12X8	400m	
656	6.00	3.60	1.25	0.25	12X8	700m	
CC-10-3764P	6.00	5.06	1.63	0.26	12X8	400m	
CC-10-3774P	6.00	5.06	1.88	0.26	12X8	400m	
575015	6.05	5.25	1.80	0.30	12X8	450m	
575018	6.05	5.25	2.00	0.30	12X8	300m	
452023	6.05	2.40	2.50	0.30	12X4	300m	底部不噴砂
452023-0	6.05	2.40	2.50	0.30	12X4	500m	
*2211	6.10	3.10	3.00	0.25	12X8	300m	
575030	6.15	5.25	3.20	0.30	12X8	300m	
575032	6.15	5.25	3.40	0.26	12X8	250m	
556225	6.20	5.50	2.50	0.23	12X8	350m	
6030	6.20	3.25	1.00	0.23	12X4	1000m	
12-1482-24	6.27	6.27	3.05	0.30	12X8	250m	
27CC103787P(2220-K02.20)	6.28	5.28	2.20	0.26	12X8	400m	
12-1483-24	6.30	6.30	2.57	0.30	12X8	350m	
12-1793-24	6.30	6.30	2.80	0.30	12X8	300m	
SMB-C-1	6.35	3.60	2.80	0.26	12X8	300m	
*CFM24	6.40	2.95	1.00	0.24	12X4	1000m	
2512-2	6.52	3.28	0.84	0.24	12X4	1000m	
453214	6.60	3.10	1.60	0.24	12X4	600m	
656012	6.70	6.30	1.35	0.24	12X8	650m	
2710L3257P(201212)	6.70	2.68	0.64	0.25	12X4		
12-1446-24(654532)	6.73	4.95	3.30	0.30	12X8	250m	
2512	6.73	3.40	0.81	0.24	12X4	1000m	
606518	6.80	6.30	2.00	0.26	12X8	500m	
2512L	6.80	3.50	1.00	0.24	12X4	1000m	
2512-1	7.10	3.70	1.20	0.23	12X8	700m	底部不噴砂
703010	7.12	3.20	1.05	0.24	12X4	1000m	

昇洲精密股份有限公司**CARRIER-TECH PRECISION CO., LTD**

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PC CARRIER TAPE

UpDate : 2024/05/08

Item	Bo	Ao	Ko	t	W x P	length	Remark
704008	7.20	4.15	0.95	0.24	12X8	900m	
705030	7.24	5.00	2.85	0.305	12X8	250m	異形模
SMC	7.25	5.00	2.65	0.26	12X8	300m	
7030	7.25	3.20	1.05	0.24	12X4	1000m	
SOT-223-ST	7.50	7.00	1.85	0.30	12X8	450m	
TTI5050	7.50	5.30	1.65	0.26	12X8	600m	底部不噴砂
AS01A866	7.60	4.60	1.35	0.24	12X8	650m	
SMB-D	7.60	4.60	3.10	0.26	12X8	250m	底部不噴砂
SMB-D-1	7.60	4.60	3.15	0.26	12X8	250m	
2512-4	7.62	3.42	0.94	0.25	12X4	1000m	