

PP COATING TAPE

UpDate : 2023/4/7

Item	Bo	B1	Ao	A1	Ko	K1	t	W x P	length	Remark
HLC-0603-08	1.53	1.13	0.93	0.80	0.56	0.11	0.30	8x4	500m	
WCM-1608-1	1.58	-	0.80	-	0.50	-	0.30	12x4	500m	
0603-3	1.60	-	1.05	-	0.50	-	0.30	8x4	-	
0603-2	1.60	-	1.05	-	0.50	-	0.30	8x4	-	
0603-2	1.60	-	1.05	-	0.50	-	0.30	12x4	-	
0603-4	1.60	-	1.10	-	0.60	0.10	0.30	12x4	-	
0603-1	1.60	-	1.05	-	0.60	-	0.30	12x4	-	
0603A	1.62	-	1.05	-	0.60	-	0.30	12x4	380m	
1608-MBKK	1.64	-	1.04	-	1.01	-	0.30	12x4	500m	
0603-5	1.65	-	0.95	-	0.50	-	0.30	12x4	-	
0603-1	2.03	-	1.30	-	0.70	-	0.30	12x4	-	
WCM 201209-B	2.05	-	1.30	-	0.50	-	0.30	12x4	-	
HBWS2012	2.05	-	1.34	-	0.75	-	0.30	12x4	500m	
0805-1	2.10	-	1.27	-	0.70	-	0.30	12x4	130m	
0805 AT-1	2.10	-	1.34	-	0.70	-	0.30	12x4	130m	
0805-2	2.10	1.30	1.56	-	0.60	0.20	0.30	12x4	130m	
0805 (0.45) 0805 FT (P.P.)	2.15	-	1.35	-	0.45	-	0.30	8x4	500m	
0805 (0.7)	2.15	-	1.35	-	0.70	-	0.30	8x4	500m	
MDOP201610	2.15	-	1.75	-	0.95	-	0.30	8x4	500m	
0805G	2.15	1.65	1.55	1.45	0.70	0.10	0.30	8x4	-	
0805R	2.15	1.58	1.33	-	0.60	0.05	0.30	12x4	500m	
1008	2.50	1.80	2.35	2.00	1.20	0.18	0.33	8x4	500m	
1008L	2.55	-	2.30	-	1.00	-	0.30	8x4	500m	
1008	2.60	1.90	2.33	2.10	1.20	0.15	0.30	8x4	-	
1008R	2.60	2.10	2.22	-	1.15	0.10	0.30	12x4	500m	
1008-R	2.60	2.40	2.30	2.05	1.10	-	0.30	12x4	-	
SWIU1008R(1.80)	2.60	2.00	2.50	2.10	1.80	0.25	0.30	12x4	500m	
SWIU1210R(1.75)	3.15	2.40	2.50	2.25	1.75	0.10	0.30	12x8	500m	
F 1210	3.28	-	2.50	-	1.15	-	0.30	12x4	300m	
ACM3225R(1.05)	3.50	2.80	2.67	-	1.05	0.05	0.30	16x8	250m	
PAS 4420F	4.65	-	2.15	-	1.20	-	0.30	16x4	250m	
4532UV	4.70	4.00	3.36	-	1.40	0.05	0.30	16x8	250m	
4532UV-A	4.70	4.00	3.36	-	1.50	0.10	0.30	16x8	250m	
ACM4532UV-B	4.75	3.90	3.50	3.35	0.95	0.10	0.30	16x8	250m	
525950T	5.80	-	4.85	-	4.95	-	0.30	12x8	-	
SMD-2074	7.60	4.49	2.16	1.87	1.45	0.15	0.30	16x4	500m	
ATC 1103	11.15	-	3.15	-	1.30	-	0.30	24x8	-	
4700/080	11.45	-	3.14	-	1.55	-	0.30	24x8	-	異形模
4700/065	15.15	-	4.75	-	1.60	-	0.30	24x8	140m	
4700/068	15.20	-	3.25	-	1.60	-	0.30	24x8	-	
0302	0.82	-	0.48	-	0.25	-	0.33	8x4	-	
0402HS	1.03	-	0.55	-	0.15	-	0.30	8x4	500m	
0402-3	1.03	0.73	0.53	-	0.25	0.05	0.30	8x4	-	
0402HS	1.03	-	0.55	-	0.15	-	0.30	12x4	-	
0402-2	1.03	-	0.53	-	0.30	-	0.30	12x2	500m	
0402-2	1.03	-	0.53	-	0.30	-	0.30	12x2	500m	
0402-4	1.05	-	0.55	-	0.30	0.10	0.30	12x2	500m	
WCM-1608	1.50	-	0.80	-	0.50	-	0.30	12x4	380m	
0603 (0.62)	1.55	-	1.05	-	0.62	-	0.30	8x4	500m	
0603-B	1.55	-	0.95	-	0.60	0.18	0.30	8x4	380m	
0603-D	1.55	-	0.90	-	0.50	0.18	0.30	8x4	500m	
0603-E	1.55	0.95	0.95	0.85	0.50	-	0.30	8x4	500m	
0603-背膜點膠帶	1.55	-	0.95	-	0.50	0.18	0.30	8x4	500m	

PP COATING TAPE

UpDate : 2023/4/7

Item	Bo	B1	Ao	A1	Ko	K1	t	W x P	length	Remark
0603 (0.62)	1.55	-	1.05	-	0.62	-	0.30	12x4	500m	
FLC 1608	1.55	-	1.05	-	0.70	-	0.30	12x4	130m	
HLC-0603-1	1.55	1.15	0.95	0.80	0.50	0.10	0.30	12x4	500m	
HLC0603-3	1.56	1.10	0.94	-	0.40	0.10	0.30	8x4	380m	
0603 MOLD TAPE	1.56	-	0.95	-	0.50	-	0.30	12x4	250m	
HC0603 M30-051-17	1.56	1.05	1.12	-	0.58	0.13	0.30	12x4	-	
HLC-0603-08	1.59	1.15	0.95	0.80	0.50	0.10	0.30	8x4	-	
0603S	1.60	1.30	1.05	-	0.60	0.10	0.30	8x4	-	
0603-G	1.60	1.10	1.05	-	0.65	0.05	0.30	12x4	500m	
0603G-0.03	1.60	1.10	1.05	-	0.65	0.03	0.30	12x4	500m	
0603-H	1.60	1.05	1.02	-	0.60	0.03	0.30	12x4	500m	
HLC-0603	1.60	1.15	0.95	0.80	0.50	0.10	0.30	12x4	500m	
HLC-0603-2	1.60	1.20	0.94	-	0.40	0.10	0.30	12x4	-	
LS 0603L	1.60	1.05	0.95	-	0.63	0.13	0.30	12x4	-	
0603-IB	1.61	1.07	1.05	0.85	0.56	0.12	0.30	12x4	500m	
0603-J	1.61	-	0.95	-	0.35	-	0.30	12x4	500m	
0603C	1.62	1.14	0.90	0.86	0.47	0.10	0.30	8x4	500m	
0603-F	1.62	1.14	0.97	0.86	0.57	0.10	0.30	8x4	-	
0603F-LOWDCR	1.62	-	1.00	-	0.65	-	0.30	8x4	500m	
0603-IA	1.62	1.10	1.02	-	0.50	0.06	0.30	12x4	500m	
FLC1608A	1.62	-	1.05	-	0.60	-	0.30	12x4	500m	
1608LF	1.65	1.05	1.18	1.08	0.65	0.55	0.30	12x4	500m	
0603-I	1.68	1.10	1.04	-	0.60	0.13	0.30	12x4	500m	
0603-BA	1.70	1.07	0.95	-	0.55	0.43	0.30	8x4	500m	
SWF1608	1.72	1.22	1.18	-	0.45	0.35	0.30	12x4	-	
0603CT-8N2	1.80	-	1.15	-	0.31	-	0.30	8x4	500m	
0805HP	1.96	-	1.27	-	0.69	-	0.30	8x4	500m	
1023024	10.20	-	3.00	-	2.40	-	0.30	16x8	-	
PAS 1225	11.40	-	3.50	-	1.50	-	0.43	24x8	130m	
802nH-1	11.85	13.25	6.60	7.70	6.10	2.85	0.43	24x12	125m	異形模
PAS 1220F	11.90	-	1.90	-	0.80	-	0.30	24x4	500m	
2929SQ-391GEB	12.20	-	7.40	-	3.30	-	0.50	24x12	-	
4310LC-352KE-1	12.20	11.28	2.98	-	3.12	1.30	0.43	24x12	125m	異形模
4310LC-132KE	12.35	11.28	3.14	-	3.32	1.30	0.43	24x12	125m	異形模
4310LC-352KE	12.35	11.28	2.98	-	3.12	1.30	0.43	24x12	125m	異形模
KA 4038-AL	16.50	-	8.10	-	3.50	-	0.30	24x12	500m	
Q3684-1.1uH	17.50	18.50	7.00	8.00	6.90	3.60	0.50	32x24	125m	異形模
201206-B	2.00	-	1.25	-	0.60	-	0.30	8x4	500m	
0805F	2.00	-	1.20	-	0.90	-	0.30	12x4	500m	
201207	2.00	-	1.32	-	0.75	-	0.30	12x4	500m	
FLC2012 (1.0)	2.00	-	1.32	-	0.68	-	0.30	12x4	500m	
FLC2012 (1.0)	2.00	-	1.32	-	0.68	-	0.30	12x4	500m	
WCM 201209	2.00	-	1.25	-	0.50	-	0.30	12x4	500m	
0805 CS	2.05	1.30	1.56	-	0.20	0.60	0.30	8x4	-	
HLC-0805	2.05	1.55	1.45	1.30	0.90	0.10	0.30	12x4	500m	
0805C	2.09	1.53	1.55	1.37	0.65	0.15	0.30	8x4	380m	
0805C	2.09	1.53	1.55	1.37	0.65	0.15	0.30	12x4	500m	
0805C-A	2.09	1.53	1.55	1.37	0.65	0.15	0.30	12x4	500m	
0805C-1	2.09	1.53	1.58	1.37	1.00	0.15	0.30	12x4	500m	
FLC201212	2.09	1.53	1.55	1.37	0.65	0.15	0.30	12x4	500m	
0805D	2.10	1.53	1.45	1.37	0.60	0.10	0.30	8x4	380m	
0805E	2.10	1.53	1.45	1.37	0.80	0.10	0.30	8x4	500m	
0805F-LOWDCR-A	2.12	1.53	1.32	-	0.90	0.08	0.30	8x4	500m	

PP COATING TAPE

UpDate : 2023/4/7

Item	Bo	B1	Ao	A1	Ko	K1	t	W x P	length	Remark
0805F-LOWDCR (1008F-4R7)	2.12	1.53	1.42	-	0.80	0.08	0.30	8x4	500m	
0805F-LOWDCR (1008F-4R7)	2.12	1.53	1.42	-	0.80	0.08	0.30	12x4	500m	
0805F-LOWDCR-A/W12	2.12	1.53	1.32	-	0.90	0.08	0.30	12x4	500m	
0805	2.13	1.56	1.54	-	0.75	0.57	0.30	8x4	500m	
0805 (0.45)	2.15	-	1.35	-	0.45	-	0.30	8x4	500m	
0805 (0.62)	2.15	-	1.35	-	0.62	-	0.30	8x4	500m	
0805-03	2.15	1.55	1.55	1.30	0.90	0.10	0.30	8x4	380m	
0805D-1	2.15	1.53	1.45	1.37	0.70	0.10	0.30	8x4	500m	
201206	2.15	-	1.40	-	0.55	-	0.30	8x4	-	異形模
0805 (0.45)	2.15	-	1.35	-	0.45	-	0.30	12x4	500m	
0805 (0.62)	2.15	-	1.35	-	0.62	-	0.30	12x4	500m	
0805-03	2.15	1.55	1.55	1.30	1.00	0.10	0.30	12x4	500m	
0805HT	2.25	-	1.70	-	0.30	-	0.30	8x4	500m	
0805R-B	2.25	1.60	1.47	-	0.60	0.10	0.30	12x4	500m	
2016-A	2.30	2.00	1.90	-	0.70	0.05	0.30	12x4	500m	
TWPC-2520-3	2.40	2.10	1.90	1.60	0.75	0.03	0.30	12x4	500m	
1008-R	2.50	2.05	2.30	2.05	1.18	0.20	0.30	8x4	380m	
1008-R	2.50	2.05	2.30	2.05	1.10	0.20	0.30	12x4	380m	
TWPC-2520-2	2.50	2.20	2.00	1.55	0.75	0.04	0.30	12x4	500m	
1008 CS	2.52	1.65	2.45	-	0.50	0.20	0.30	8x4	-	
1008HQ	2.55	-	2.10	-	1.20	-	0.30	8x4	500m	
PP1008-E	2.58	1.83	2.38	2.14	0.80	0.60	0.30	8x4	500m	
1008-1	2.58	2.00	2.30	2.20	1.20	0.15	0.30	12x4	500m	
PP1008-E	2.58	1.83	2.38	2.14	0.80	0.60	0.30	12x4	500m	
1008-AA	2.60	1.88	2.33	2.02	1.13	0.98	0.30	8x4	500m	
1008-03	2.60	2.00	2.30	2.10	1.50	0.05	0.30	12x4	500m	
1008-D	2.60	2.00	2.30	-	1.40	0.15	0.30	12x4	500m	
1008F	2.60	2.00	2.35	2.10	1.15	0.25	0.30	12x4	500m	
1008F	2.60	2.00	2.35	2.10	1.15	0.25	0.30	12x4	500m	
1008-R	2.60	2.40	2.30	2.05	1.10	-	0.30	12x4	-	
1210 (1.4)	2.60	-	2.10	-	1.20	-	0.30	12x4	380m	
2520	2.60	-	2.10	-	0.80	-	0.30	12x4	500m	
2520	2.60	-	2.10	-	0.80	-	0.30	12x4	380m	
2520R(1.2)	2.60	2.10	2.20	-	1.20	0.10	0.30	12x4	500m	
HBWS2520	2.60	-	2.10	-	1.15	-	0.30	12x4	500m	
HLC1008	2.60	1.90	2.25	2.10	1.20	0.10	0.30	12x4	380m	
LPF 252010 SU	2.60	-	2.10	-	0.80	-	0.30	12x4	500m	
TWPC-2520-1	2.60	-	2.10	-	0.70	-	0.30	12x4	500m	
FEC1008CP	2.68	1.83	2.76	2.22	0.80	0.24	0.30	8x4	500m	
16-034ANL (292A)	2.78	2.14	3.45	1.26	1.17	-	0.30	8x4	500m	異形模
GA3092-AL	3.05	-	5.20	-	4.55	-	0.43	12x8	168m	
3225(1.0)	3.10	-	2.50	-	1.00	-	0.30	12x4	500m	
TWPC 322512-1	3.14	2.39	2.46	1.76	0.80	0.03	0.30	12x8	500m	
1210	3.16	2.33	2.44	2.16	0.92	0.80	0.30	8x4	380m	
1210C	3.16	2.36	2.44	2.20	0.90	0.10	0.30	8x4	380m	
1210 (0.8)	3.20	-	2.55	-	0.80	-	0.30	12x4	500m	
3225-1	3.20	-	2.50	-	1.25	-	0.30	12x4	500m	
3225-2	3.25	-	2.50	-	0.60	-	0.30	12x4	500m	
3225-3	3.25	-	2.55	-	1.10	-	0.30	12x4	500m	
3216	3.28	-	1.65	-	1.10	-	0.30	12x4	500m	
3216-1	3.28	-	1.65	-	1.50	-	0.30	12x4	-	
3225	3.30	-	2.55	-	1.10	-	0.30	12x4	500m	
3225-4	3.30	-	2.60	-	1.10	-	0.30	12x4	500m	

PP COATING TAPE

UpDate : 2023/4/7

Item	Bo	B1	Ao	A1	Ko	K1	t	W x P	length	Remark
SWI1210F	3.32	2.20	2.74	2.47	0.61	0.10	0.30	12x8	-	
LPF322510 SU	3.32	-	2.63	-	0.80	-	0.30	12x4	500m	
TWPC-322512	3.40	2.65	2.70	2.00	0.80	0.03	0.30	12x8	500m	
GA3093-AL	3.55	-	4.85	-	4.50	-	0.43	12x8	168m	
1508-3T	3.60	-	3.40	-	1.90	-	0.30	12x8	-	
3532	3.72	-	3.40	-	1.50	-	0.30	12x8	500m	
3532-1	3.82	-	3.50	-	1.30	-	0.30	12x8	-	
16-029ANL (292B)	3.88	-	1.27	-	1.05	-	0.30	8x4	500m	
TWPC 4010-1	4.05	-	4.05	3.35	0.65	0.03	0.30	16x8	500m	
TWPC 4010	4.05	-	4.05	3.55	0.65	0.03	0.30	16x8	500m	
PAS4418	4.32	-	1.90	-	1.24	-	0.30	12x4	-	
GA3094-AL	4.45	-	4.65	-	4.45	-	0.43	12x8	168m	
1812	4.55	-	3.46	-	1.50	-	0.30	12x8	500m	
293A-002	4.65	5.20	3.64	4.30	3.56	2.30	0.45	12x12	195m	異形模
293A-001	4.76	5.22	3.64	4.30	3.56	1.85	0.30	12x12	-	異形模
90NGEB	5.30	-	5.60	-	2.50	-	0.40	12x8	-	
GA3095-AL	5.40	-	4.45	-	4.59	-	0.43	12x8	168m	
15155Q-82	5.95	-	3.80	-	1.10	-	0.30	12x8	-	
623024	6.20	-	3.00	-	2.40	-	0.30	12x8	250m	
PAS 6420F	6.45	-	2.35	-	1.00	-	0.30	16x4	500m	
PAS 6420F-1	6.45	-	2.35	-	1.00	-	0.30	16x4	500m	
PAS6420-D	6.45	-	2.15	-	1.00	-	0.30	16x4	500m	
PAS6420-DS	6.50	-	2.20	-	1.00	-	0.30	16x4	500m	
2508-7T	6.60	-	3.40	-	1.90	-	0.30	12x8	-	
2508-7T-A	6.60	-	3.40	-	1.90	-	0.30	12x8	500m	
PAS 7420F	7.20	-	2.05	-	0.80	-	0.30	16x4	500m	
8027	7.35	-	2.16	-	1.00	-	0.30	16x4	500m	
PAS 7420F-W5F	7.50	-	2.30	-	0.80	-	0.30	16x4	500m	
762206	7.55	4.80	2.10	-	0.90	0.10	0.30	16x4	500m	
762525	7.85	5.80	2.65	1.65	1.30	0.10	0.30	16x4	500m	異形模