

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2022/10/25

Item	Bo	Ao	Ko	W x P	length	Remark
11511510	1.15	1.15	1.00	8×4	-	
13513509	1.35	1.35	1.10	8×4	145.8m	
150507	1.60	0.53	0.80	8×4	390m	多層繞
17517511	1.75	1.75	1.10	8×4	-	
UN151519	1.80	1.60	1.60	8×4	86m	
SWF1608LF(PS)	1.90	1.35	1.25	8×4	395m	多層繞
LCN0603-1-1(PS)	1.90	1.16	1.05	8×4	392m	多層繞
0603CT-8N2(PS)	2.00	1.35	0.85	8×4	-	
202016	2.05	2.05	1.60	8×4	390m	多層繞
1913	2.10	2.10	1.50	8×4	-	
WPC201010	2.10	1.10	1.10	8×4	395m	多層繞
CG0820013B	2.20	0.95	1.40	8×4	116.6m	
MJ69-00277G	2.20	1.50	2.20	8×4	390m	多層繞
AHP201608	2.30	1.90	0.95	8×4	397m	多層繞
AHP201208	2.35	1.50	0.95	8×4	397m	多層繞
2409	2.60	1.10	0.30	8×4	-	
250502	2.65	0.63	0.40	8×4	372m	多層繞
HPC252008MF	2.87	2.47	0.98	8×4	392m	多層繞
292925(PS)	2.90	2.90	2.50	8×8	395m	多層繞
323219	3.20	3.20	1.90	8×4	98m	
SR0302	3.20	2.95	2.80	8×4	74.6m	
32525	3.25	3.25	2.50	8×8	395m	多層繞
SR0302-1	3.30	3.05	2.80	8×4	74.6m	
322520-P4	3.35	2.85	2.20	8×4	-	
322523	3.40	2.75	2.40	8×4	397m	多層繞
SWF-3215	3.46	2.64	1.66	8×8	383m	多層繞
SWF-3215-A	3.46	2.80	1.66	8×8	383m	多層繞
321622	3.50	1.95	2.45	8×4	-	
HTE 2W-R0003F	3.50	2.00	1.80	8×4	84m	單層繞

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2024/05/21

Item	Bo	Ao	Ko	W x P	length	Remark
SMB Gasket	1.20	1.20	2.20	12×4	-	
131303	1.20	1.20	0.20	12×4	50m	
13513543	1.50	1.50	0.58	12×8	-	
TC-15215 (0706)A	1.60	2.17	2.17	12×8	90m	
LSQ0809A-15NH	1.65	2.10	2.30	12×8	50m	
335366210002	1.69	1.20	2.10	12×4	373m	多層繞
3353625200	1.70	1.30	1.80	12×4	396m	多層繞
53514-003PS	1.80	2.50	2.85	12×8	51m	
LSQ0910A-17NH	1.80	2.35	2.70	12×8	50m	
LSQ0810C-11NJ	1.85	1.85	2.20	12×4	383m	
LSQ0810C-11NJ-2.35	1.85	1.85	2.35	12×4	383m	
TC-15214(0705)	1.92	1.88	0.78	12×8	78m	
LSQ0809A-20NH	1.90	2.10	2.30	12×8	50m	
TC-15215 (0706)	1.92	2.22	2.22	12×8	90m	
LSQ0810A-11NJ-A	2.00	1.85	2.20	12×4	383m	多層繞
LSQ0810A-11NJ	2.08	2.16	2.85	12×8	384m	多層繞
58-21	2.10	1.30	3.00	12×4	380m	
PG1520002P	2.10	1.60	0.50	12×4	246m	
LSQ0910A-23NH	2.10	2.35	2.70	12×8	50m	
XP-2016	2.20	1.75	0.70	12×4	380m	
LDSG2222	2.30	2.20	2.00	12×8	82.6m	
0805HTPS	2.35	1.72	0.95	12×4	90.3m	
APO201216V	2.35	1.55	1.80	12×4	395m	多層繞
TC-15216(0705)	2.37	2.08	2.08	12×8	78m	
152520	2.50	1.55	2.00	12×4	82.4m	
3353625500	2.50	1.80	1.80	12×4	392m	多層繞
5G3023045P	2.50	3.20	4.70	12×8	43.5m	
F1-F1-001-01	2.60	1.80	2.20	12×4	86m	
LSQ1213C-R12J	2.60	3.56	3.60	12×8	399m	
LSP0202A-003	2.62	2.52	2.70	12×8	54m	
LSQ0707A-12N	2.65	1.90	1.85	12×4	380m	
PG2025250C	2.65	2.15	2.65	12×8	63m	
LPI2010	2.70	2.20	1.20	12×4	39.4m	
LPI2015	2.70	2.20	1.70	12×4	39.4m	
W08-5801-002-00-810	2.70	3.10	1.90	12×8	125m	
5801-B002-888	2.70	3.10	1.40	12×8	375m	
5801-B003-888-0	2.70	3.10	1.40	12×8	125m	
182824	2.80	1.80	2.40	12×8	24.6m	
CP-RFS45-00	2.85	2.85	1.90	12×4	99m	

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2024/05/21

Item	Bo	Ao	Ko	W x P	length	Remark
252008	2.90	2.45	1.00	12×4	390m	
LSQ1111A-27N	2.90	2.90	2.95	12×8	380m	
252020	2.95	2.25	2.20	12×8	390m	多層繞
LSQ-0910A-22nH (P4)	3.05	2.30	2.60	12×4	74m	
LPH3010	3.05	3.30	1.15	12×8	180m	
LPH3012	3.05	3.30	1.35	12×8	180m	
LPH3015	3.05	3.30	1.90	12×8	180m	
LPH3020	3.05	3.30	2.40	12×8	180m	
LSQ-0910A-22nH	3.05	2.40	2.70	12×8	72m	
LPS3012A	3.10	2.70	1.30	12×4	44.6m	
2D16CT	3.10	3.10	1.90	12×8	97.8m	
3015CT	3.10	3.10	1.55	12×8	121.8m	
323023	3.15	3.00	2.31	12×8	397m	多層繞
SML-0008A	3.20	1.20	1.00	12×4	152m	
3G2030030B	3.20	2.10	3.20	12×4	62m	
3G2030025B	3.20	2.10	2.70	12×4	67.8m	
TPC 2D09 T-100	3.20	3.20	1.20	12×8	100.4m	
LSQ1213C-R12J	3.20	3.56	3.60	12×8	399m	
LSQ1111A-33N	3.20	2.90	2.95	12×8	380m	
CS3012	3.20	3.40	1.30	12×8	366m	多層繞
CS3015	3.20	3.40	1.60	12×8	366m	多層繞
BCF-40320	3.25	2.25	4.20	12×8	50m	
205325	3.25	2.05	4.80	12×8	40.3m	
323212	3.30	3.60	1.35	12×8	100.4m	
323217	3.30	3.60	1.65	12×8	100.4m	
323222	3.30	3.60	2.15	12×8	75.8m	
P-50-0068	3.30	3.20	1.60	12×8	109.8m	
303024	3.30	3.30	2.50	12×8	71m	
118-0255H	3.30	6.80	1.40	12×12	128m	模具轉寄翔弘
3010-1	3.35	3.50	1.55	12×8	178m	
3015-1	3.35	3.50	1.90	12×8	178m	
3020-1	3.35	3.50	2.40	12×8	178m	
322520	3.35	2.85	2.20	12×8	-	
CG2032015B	3.40	2.10	1.70	12×4	107m	
TLPC3012	3.40	3.30	1.40	12×8	395m	
342628	3.45	2.65	2.80	12×8	390m	
CP-RFC40-00	3.50	3.20	1.40	12×4	123m	
321605P4	3.50	1.90	0.60	12×4	372m	
CU323	3.50	1.90	1.30	12×4	130m	

## 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

## PS CARRIER TAPE

UpDate : 2024/05/21

Item	Bo	Ao	Ko	W x P	length	Remark
321605	3.50	1.90	0.60	12×8	350m	
BS0302	3.50	3.15	2.40	12×8	394m	
BS0302-T03	3.50	3.15	2.40	12×8	394m	
F1-A1-004-08	3.50	3.35	3.60	12×8	63m	
LSQ0908A-33NJ	3.50	2.40	2.00	12×8	383m	
BS0301	3.50	3.15	1.30	12×8	390m	
GA3093-AL	3.55	4.85	4.50	12×8	168m	
APO322530NV	3.55	2.85	3.10	12×8	192m	
LSQ1111A-43N-A	3.55	2.92	3.04	12×8	380m	
0318	3.58	3.20	2.03	12×8	390m	
WCMD332013	3.60	2.55	1.60	12×8	392m	
325-1A	3.60	1.85	1.83	12×4	95.5m	
DCM-3225	3.60	2.90	3.30	12×8	-	
343436-A	3.60	3.60	3.65	12×8	385m	
343436	3.65	3.65	3.60	12×8	385m	
DWC321628	3.70	1.90	3.00	12×4	385m	
DWC321622	3.70	1.90	2.25	12×4	392m	
FPI0301	3.70	3.25	1.50	12×8	37.8m	
LSQ1111A-43N	3.70	2.90	2.95	12×8	380m	
LY-0312	3.70	3.40	1.40	12×8	395m	
LY-0315	3.70	3.40	1.80	12×8	395m	
LY-0320	3.70	3.40	2.30	12×8	395m	
373736	3.70	3.70	3.15	12×8	385m	
30C050-0010	3.70	3.20	1.95	12×8	375m	
LSQ-1116A-82NM	3.70	3.00	4.20	12×8	385m	多層繞
352522(PS)	3.72	2.88	2.50	12×8	-	
341620	3.73	1.90	2.10	12×4	-	
PG1735005S	3.75	2.00	0.70	12×4	206m	
363616	3.75	3.75	1.60	12×8	380m	
363628	3.75	3.75	2.80	12×8	62m	
7721	3.80	2.20	1.10	12×4	-	
14-511-B	3.80	3.20	2.20	12×8	86m	
3535 TAPE	3.80	3.80	2.90	12×8	67m	
HT-BAF5	3.80	3.40	3.40	12×8	360m	
3535IR30	3.80	3.80	3.70	12×8	-	
BCF-22425	3.85	2.65	2.20	12×4	76m	
373722	3.85	3.85	3.00	12×8	-	
383825	3.90	3.90	2.70	12×8	68m	
TXF-353229	3.90	3.55	3.20	12×8	-	

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2024/05/21

Item	Bo	Ao	Ko	W x P	length	Remark
TXF-353229-0	3.90	3.55	3.20	12×8	-	
393926	3.90	3.90	2.60	12×8	390m	多層繞
393931	3.90	3.90	3.10	12×8	393m	多層繞
393937	3.90	3.90	3.65	12×8	195m	多層繞
BAF6(Side View)	3.95	3.75	3.30	12×8	390m	
CG2038020B	4.00	2.10	2.20	12×4	87m	
323242	4.00	3.30	4.30	12×8	26.5m	
303033	4.00	3.30	3.60	12×8	50.8m	
LED	4.02	1.22	0.82	12×4	181.8m	
FPB7	4.10	1.65	3.25	12×4	50m	
SBCB504040T-301-N	4.10	5.30	4.30	12×8	49.8m	
K40M20-3007T	4.10	4.10	4.10	12×8	49.5m	
411717(FPB5)	4.15	1.75	1.75	12×4	98m	
LPH4010	4.15	4.30	1.30	12×8	180m	
LPH4012	4.15	4.30	1.50	12×8	180m	
LPH4015	4.15	4.30	1.90	12×8	375m	多層繞
LPH4018	4.15	4.30	2.20	12×8	180m	
DFP-4008	4.15	4.15	0.95	12×8	-	
AA046	4.20	3.20	1.80	12×8	122m	
TPI4025	4.20	4.20	2.75	12×8	395m	
5G2540041B	4.20	2.80	4.30	12×8	49.8m	
402003	4.25	2.25	0.60	12×4	195m	
N0303020A	4.25	4.25	3.50	12×12	46m	
BCF-55425A-H	4.30	2.65	5.60	12×8	37.6m	
403022	4.30	3.30	2.50	12×8	74m	
424218	4.30	4.60	1.95	12×8	75.8m	
424212	4.30	4.60	1.35	12×8	100.4m	
433438	4.30	3.35	3.85	12×8	45m	
WCM404015	4.30	4.30	1.65	12×8	392m	
WCM404015-0	4.30	4.30	1.65	12×8	392m	
4010-1	4.35	4.50	1.55	12×8	178m	
4015-1	4.35	4.50	1.90	12×8	195m	
4018-1	4.35	4.50	2.20	12×8	178m	
433235	4.35	3.25	3.50	12×8	383m	
435325	4.35	3.25	1.55	12×8	392m	
RFXF-006	4.35	3.70	3.40	12×8	39m	
42035035	4.40	2.20	0.65	12×4	390m	
T40M20E29	4.40	4.40	3.05	12×8	49.5m	
474425	4.40	4.70	2.50	12×8	120m	

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2024/05/21

Item	Bo	Ao	Ko	W x P	length	Remark
1508	4.40	4.25	2.40	12×8	380m	
FWP4030	4.40	4.40	3.90	12×8	-	
FWP4030	4.40	4.40	3.90	12×8	-	
MMIM-4030	4.45	4.45	3.35	12X8	390m	多層繞
GA3094-AL	4.45	4.65	4.45	12X8	168m	
403020	4.45	3.45	2.55	12×8	392m	多層繞
TXF-403829	4.45	4.20	3.05	12×8	393m	多層繞
BS0403-1	4.50	4.15	3.50	12×8	185m	
403025-A	4.63	3.18	2.90	12×8	397m	多層繞
NP4-CD43	4.65	4.20	3.60	12×8	49.8m	
BS0403	4.65	4.20	3.60	12×8	185m	
CL-078	4.70	4.20	3.40	12×8	20.5m	
LY-0420	4.70	4.40	2.30	12×8	395m	
LY-0415	4.70	4.40	1.80	12×8	395m	
LY-0412	4.70	4.40	1.40	12×8	395m	
118-0394H	4.70	6.70	1.10	12×12	146m	
ESPA-0402	4.75	4.60	2.15	12×8	370m	
ESPA-0402	4.75	4.60	2.15	12×8	370m	
ESPA-0412	4.75	4.60	1.40	12×8	392m	多層繞
184811	4.80	1.80	1.10	12×4	146m	
334920	4.80	3.30	2.00	12×8	86m	
TG1545009P	4.90	1.70	1.20	12×4	141m	
EHP-C06	4.90	3.40	2.30	12×8	81m	
334920(A)	4.90	3.30	2.00	12×8	86m	
CG2548045B	4.90	2.70	4.70	12×8	39m	
DWCD4535	4.90	3.80	2.45	12×8	392m	
CG0846018B	4.95	1.00	2.05	12×4	86m	
APO453225V	4.95	3.55	3.95	12×8	382m	多層繞
TXF-4644305	5.00	4.80	3.05	12×8	51m	
PAS4420C-A	5.00	2.50	2.20	12×8	390m	
TXF464432	5.00	4.80	3.20	12×8	51m	
LPH5020-1	5.05	5.30	2.40	12×8	180m	
LPH5012-1	5.05	5.30	1.55	12×8	180m	
LPH5015-1	5.05	5.30	1.70	12×8	180m	
BPH403025	5.10	3.40	3.30	12×8	57m	
H2D3449A33	5.10	5.10	4.00	12×8	374m	
511104	5.15	1.15	0.45	12×4	190m	
LPH5025	5.20	5.35	2.90	12×8	180m	
N0055025A	5.20	5.20	1.90	12×8	61.66m	

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2024/05/21

Item	Bo	Ao	Ko	W x P	length	Remark
525210	5.20	5.20	0.95	12×8	370m	
655221	5.20	6.50	2.10	12×12	87m	
525525	5.25	5.25	1.10	12×8	150m	
503005	5.25	3.25	0.90	12×8	350m	
K50M30-1509T	5.30	5.30	2.80	12×8	61.8m	
435312	5.30	4.30	1.20	12×8	133.8m	
FB-504008	5.30	4.35	1.30	12×8	130m	
CG508	5.30	3.30	4.40	12×8	38.5m	
CW504-A	5.35	1.25	1.50	12×4	95.5m	
5012-1	5.35	5.50	1.55	12×8	178m	
5015-1	5.35	5.50	1.90	12×8	178m	
5020-1	5.35	5.50	2.40	12×8	178m	
LPI4D18	5.35	5.70	2.40	12×8	178m	
CW503	5.35	2.40	1.25	12×8	122.5m	
NBS0620	5.40	4.60	2.50	12×8	73.8m	
HP0401	5.40	4.70	1.40	12×8	120m	
HP0402	5.40	4.70	2.20	12×8	84m	
EHP-A27F	5.40	5.40	2.70	12×8	380m	
AA029	5.45	2.70	1.80	12×8	374m	
CW504	5.50	1.30	1.50	12×4	95.5m	
551312	5.50	1.30	1.20	12×4	146m	
555515	5.50	5.50	1.50	12×8	-	
555542(TPI5040)	5.50	5.50	4.20	12×8	192	
SPM5030	5.50	5.30	3.30	12×8	62m	
5230	5.50	3.55	0.95	12×8	-	
535340	5.60	5.60	4.20	12×8	-	
535342	5.60	5.60	4.40	12×8	395m	多層繞
LSQ1618-R17	5.65	4.25	4.85	12×8	191m	多層繞
542221	5.67	2.30	2.25	12×8	390m	多層繞
SLPI050546	5.70	5.90	4.80	12×12	32m	
SLPI050506	5.70	5.90	6.20	12×12	28.5m	
H2D3255917	5.70	5.70	4.00	12×8	374m	
LY-0515	5.70	5.40	1.80	12×8	395m	
LY-0512	5.70	5.40	1.40	12×8	395m	
LY-0520	5.70	5.40	2.30	12×8	395m	
LY-0524	5.80	5.70	2.60	12×8	395m	
575736	5.70	5.70	3.60	12×12	56m	
MHC5540	5.70	4.95	4.10	12X8	390m	多層繞
BS0503	5.80	5.35	3.20	12×8	374m	

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2024/05/21

Item	Bo	Ao	Ko	W x P	length	Remark
BS0504	5.80	5.35	4.70	12×8	192m	
BS0502	5.80	5.35	2.80	12×8	374m	
BSF5040	5.90	5.60	4.20	12×12	190m	
CD54	5.90	5.35	4.90	12×8	40.2m	
CARRIER TAPE ESPA-0503	5.90	5.70	3.25	12×8	198m	多層繞
CARRIER TAPE ESPA-0503-1	5.90	5.70	3.25	12×8	198m	多層繞
CARRIER TAPE ESPA-0518	5.90	5.70	2.00	12×8	396m	多層繞
0530	5.95	5.45	3.20	12×8	62.5m	
WCM5555	5.95	5.85	3.50	12×12	392m	多層繞
565015-1	6.00	5.40	1.80	12×8	374m	
565032-1	6.00	5.40	3.60	12×8	374m	
565036-1	6.00	5.40	3.80	12×8	374m	
CIP 0530	6.00	5.50	3.10	12×8	50m	
CIP 0530-198	6.00	5.50	3.10	12×8	198m	多層繞
553022	6.00	3.35	2.40	12×8	392m	
CIP0520	6.00	5.50	2.10	12×8	98m	
575036	6.15	5.25	3.80	12×8	385m	多層繞
565036-2	6.20	5.40	4.00	12×8	374m	
245809	6.20	2.80	1.20	12×8	140m	
LPH6012	6.20	6.35	1.55	12×8	180m	
LPH6015	6.20	6.35	1.90	12×8	180m	
LPH6020	6.20	6.35	2.40	12×8	180m	
LPH6028	6.20	6.35	3.20	12×8	180m	
565015-2	6.20	5.40	2.00	12×8	374m	
565018-2	6.20	5.40	2.30	12×8	374m	
565032-2	6.20	5.40	3.80	12×8	374m	
565030	6.20	5.40	3.30	12×12	374m	
565028-2	6.20	5.40	3.10	12×8	374m	
T60M25E31-1516T	6.30	6.30	3.50	12×12	56m	
6025B2	6.35	2.80	1.20	12×8	140m	
14-510-V	6.35	3.80	2.20	12×8	86m	
EP-854	6.40	5.60	3.00	12×8	16.8m	
2410	6.50	2.80	2.70	12×4	-	
C12T	6.50	5.85	1.40	12×8	122m	
CG2562048B	6.50	2.80	5.10	12×8	37.7m	
HTE1.5W R0068F	6.65	3.40	0.95	12×8	59m	
HTE 2512 SERIES	6.65	3.40	1.25	12×8	52m	
366812	6.80	3.60	1.20	12×8	390m	
2508	7.40	4.25	2.40	12×8	380m	



昇洲精密股份有限公司

CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PS CARRIER TAPE

UpDate : 2024/04/16

Item	Bo	Ao	Ko	W x P	length	Remark
3X331519	1.50	3.30	1.90	16×8	110m	
Tait	2.50	2.50	8.50	16×16	-	
275159	2.75	5.15	5.95	16×12	35m	
CH10D7	3.30	3.20	10.35	16×12	20.5m	
CE807	3.30	3.20	8.30	16×12	20.5m	
S0403310C	3.60	3.60	7.50	16×12	27m	
375159	3.70	5.15	5.95	16×12	35m	
3G2038062B	4.00	2.20	6.40	16×8	37m	
215B1163	4.00	6.60	7.66	16×12	27m	
3232102	4.00	3.30	10.40	16×12	21.5m	
Tait-1	4.10	4.10	10.75	16×16	-	
414044	4.10	4.05	4.45	16×12	46m	
K40M16E24-1314T	4.20	4.20	14.85	16×12	12.15m	
N0604020A	4.20	4.20	7.80	16×12	28m	
RL-042-124-01	4.20	4.20	12.40	16×12	6.7m	
XG2440048B	4.25	2.65	5.00	16×8	39m	
N0704020B	4.30	4.30	8.30	16×12	25.2m	
N0254520A	4.70	4.70	3.95	16×8	45m	
S0754520A	4.70	4.70	8.80	16×12	23m	
N0464520B	4.75	4.75	6.15	16×8	21m	
N0084515C	4.75	4.75	3.95	16×12	49m	
475160	4.75	5.15	6.05	16×12	35m	
SME0070RA	5.00	2.30	7.20	16×8	26m	
BCF-70525A	5.00	2.80	7.30	16×8	25.7m	
PAS4420C-A-16(390M)	5.00	2.50	2.20	16×8	390m	多層繞
595050	5.00	5.90	4.50	16×8	44m	
293A-002(PS)	5.00	3.90	4.25	16×12	192m	
504147	5.00	4.10	4.70	16×8	38.5m	
4532UV(PS)	5.05	3.72	3.10	16×8	51m	
BIY4520FM-001HA1	5.10	6.20	4.25	16×12	40m	異形模
N0605030A	5.15	5.15	8.20	16×12	28m	
T50M20E30	5.20	5.20	5.70	16×12	38m	
HT-G50100	5.25	5.25	10.60	16×12	20m	
LSQ2022-R18X	5.25	5.15	5.95	16×12	35m	
RL-053-055-01	5.30	5.30	5.50	16×12	15.1m	異形模
HT-AFA1	5.40	5.00	5.50	16×12	38m	
ACM4532F2NB	5.45	4.05	3.65	16×8	48m	
ZG3452040B	5.50	3.65	4.30	16×8	46m	
AFA-3	5.50	5.10	4.35	16×12	45m	

昇洲精密股份有限公司

CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PS CARRIER TAPE

UpDate : 2024/04/16

Item	Bo	Ao	Ko	W x P	length	Remark
S0505527C	5.65	5.65	6.90	16×12	32m	
S0415530A	5.70	5.70	6.00	16×12	35m	
TXF-536540-A	5.70	6.85	4.20	16×12	394m	多層繞
545450	5.70	5.70	5.70	16×12	30.6m	
TXF-533535	5.75	3.85	3.65	16×8	51m	
574248	5.75	4.25	4.85	16×8	38.5m	
575159	5.75	5.15	5.95	16×12	35m	
LSQ 2222A 90N	5.76	6.00	6.25	16×12	193.8m	
RFXF-008	5.76	4.30	4.60	16×12	39m	
NJC-5.8	5.80	5.80	3.90	16×8	51.6m	
OG2554027P	5.80	2.70	3.10	16×8	64.5m	
N0325530A	5.80	5.80	4.95	16×12	41m	
WCM4520	5.80	4.80	2.30	16×8	132m	
605429	5.90	6.10	2.90	16×8	62m	
LSQ2210A-82N	5.90	5.80	2.60	16×12	381m	
555808	6.00	5.70	1.00	16×8	390m	多層繞
High Power LED	6.00	6.00	5.35	16×12	37.8m	
SD5845D1M	6.00	5.40	5.00	16×12	38.2m	
RL-060-032-01	6.00	6.00	3.20	16×12	24.7m	
RL-036-089-01	6.00	6.00	8.95	16×12	10.3m	
PASC5530V-582	6.00	3.25	3.15	16×8	374.4m	
TXF5645	6.05	4.75	4.65	16×12	192m	
846155	6.10	8.35	5.45	16×12	39m	
PWC0706	6.20	7.60	3.60	16×12	55.8m	
S0426030C	6.20	6.20	5.90	16×12	36m	
626220	6.20	6.20	2.00	16×12	-	
626232	6.20	6.20	3.20	16×12	40m	
646050	6.20	6.80	4.50	16×12	39m	
624248	6.25	4.25	4.85	16×8	38.5m	
602014	6.30	2.30	1.65	16×4	98m	
F1C23	6.30	6.30	1.50	16×8	121.8m	
CU10D7	6.30	3.45	10.30	16×8	14.5m	
N0266030C	6.30	6.30	4.30	16×12	36m	
11-P115-1T	6.30	6.30	6.30	16×12	32.4m	
636347	6.30	6.30	4.70	16×12	190m	
CU10D7	6.30	3.45	10.30	16×12	20.5m	
BSF6030	6.30	6.30	3.35	16×12	55.8m	
AHS0635	6.35	6.25	3.6	16×12	190m	
LTA-6015	6.40	2.00	1.80	16×4	33.8m	

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2024/04/16

Item	Bo	Ao	Ko	W x P	length	Remark
TPI6045	6.40	6.40	4.70	16×12	190m	
LSQ 2222 R11	6.40	5.95	6.10	16×12	391m	多層繞
6025	6.50	2.80	2.30	16×8	85.8m	
466565	6.50	4.60	6.50	16×12	30.6m	
SEN-S	6.60	2.45	2.45	16×4	78m	
XS3865066B	6.65	4.00	6.90	16×8	30m	
PAS6420C-A	6.70	2.50	2.20	16×8	390m	多層繞
PAS6420C-A-0	6.70	2.50	2.20	16×8	390m	多層繞
674248	6.75	4.25	4.85	16×8	38.5m	
LSQ2022-R27X	6.75	5.15	6.05	16×12	35m	
SCS0865012S	6.80	1.60	1.25	16×4	122m	
SCS0865128S	6.80	1.60	1.30	16×4	123m	
TXF-536540	6.85	5.70	4.20	16×12	394m	多層繞
6060	6.85	6.65	6.30	16X12	190m	多層繞
LPL6410	6.90	4.50	1.35	16×8	180m	
ACM-6545	6.90	4.90	2.90	16×8	397m	多層繞
666948	6.90	6.60	4.85	16×12	38m	
713C-04t	7.00	3.45	3.45	16×8	50m	
NJC-7.0	7.00	7.00	3.50	16×12	57.6m	
φ6 carrier tape	7.00	7.00	6.30	16×12	12.6m	
AMB2621	7.05	6.70	1.45	16×12	95.4m	
AMB2621REV1	7.05	6.70	1.45	16×12	95.4m	
PF6N-XL	7.20	6.20	2.50	16×8	380m	多層繞
HBE SERIES	7.20	7.00	3.90	16×12	18.6m	
722765	7.25	2.70	6.52	16×8	32m	
8G2570072B	7.25	2.70	7.55	16×8	28m	
8G2570062B	7.25	2.70	6.52	16×8	32m	
657212	7.25	6.50	1.20	16×12	146m	
LSQ1618-R19X	7.25	4.15	4.95	16x8	38.5m	
LSQ2022-R31X	7.25	5.15	6.05	16×12	35m	
S0247035A1	7.30	7.30	3.90	16×12	51m	
BIY6534FM-001H	7.30	6.70	4.40	16×12	39m	
RL-073-043-01	7.30	7.30	4.30	16×12	18.8m	
704008	7.40	4.40	1.00	16×8	169.8m	
717170074	7.40	3.40	2.30	16×8	86m	
CW706 (C8B706)	7.40	2.40	2.35	16×8	78.5m	
707015	7.45	7.45	1.50	16×12	370m	多層繞
ACM-654540	7.50	4.95	4.10	16×8	397m	多層繞
CY-06	7.50	7.20	3.60	16×12	56.4m	

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2024/04/16

Item	Bo	Ao	Ko	W x P	length	Remark
HP0601	7.50	6.70	2.00	16×12	91m	
HP0602	7.50	6.70	2.60	16×12	381m	多層繞
HP0603	7.50	6.70	3.20	16×12	396m	多層繞
WCM7060	7.50	6.30	3.80	16×12	394m	多層繞
TPI7055	7.50	7.50	5.70	16×12	38m	
HP0604	7.50	6.70	4.20	16×12	245m	
707517	7.50	7.00	1.70	16×12	395m	多層繞
LY-0620	7.50	7.20	2.30	16×12	395m	多層繞
LY-0612	7.50	7.00	1.40	16×12	395m	多層繞
LY-0615	7.50	7.00	1.80	16×12	395m	多層繞
CMF090704	7.50	10.00	5.00	16×16	36m	
702020	7.55	2.55	2.25	16×8	392m	多層繞
EHP-A19	7.60	2.10	2.45	16×4	85.8m	
HP0602-1	7.60	6.90	2.90	16×12	130m	
SLF70-5	7.60	7.40	4.80	16×12	190m	
SLF70-M	7.60	7.40	3.60	16×12	190m	
ESPA-0603	7.60	6.90	3.40	16×12	191m	
ESPA-0624	7.60	6.90	2.60	16×12	-	
ESPA-0604	7.60	6.90	4.40	16×12	189m	
LSQ 2222A R16J-W16	7.60	5.65	6.10	16×12	192m	多層繞
EL-0603	7.60	6.90	3.40	16×12	191m	
MHR0745	7.60	7.90	4.95	16×12	392m	多層繞
777710	7.65	7.65	1.20	16×12	131.4m	
AHE0735	7.70	7.55	3.52	16×12	191m	
7766215	7.70	6.60	2.15	16x12	392m	
7030	7.75	7.75	3.40	16X12	380m	多層繞
LSQ1618-R22X	7.75	4.15	4.95	16x8	38.5m	
BS 0705	7.80	7.15	5.30	16×12	192m	
BS 0703	7.80	7.15	3.75	16×12	192m	
AT7635	7.85	3.75	1.30	16×8	125m	
PS8027	7.90	2.80	2.35	16×8	73.8m	
S5H (694847)	7.90	5.20	5.05	16×12	190m	多層繞
LSQ2210A-R15	7.90	5.80	2.60	16x12	381m	
TP0702	7.95	2.35	2.40	16×8	-	
CWBF01	8.00	9.20	1.50	16×12	25.8m	
977230	8.00	7.20	3.30	16×12	63m	
Carrier Tape MMS-P2	8.00	6.20	4.40	16×12	390m	多層繞
805254	8.05	5.25	5.40	16×8	37.8m	
BIY6534FM	8.10	7.20	5.70	16×12	36m	

## 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

## PS CARRIER TAPE

UpDate : 2024/04/16

Item	Bo	Ao	Ko	W x P	length	Remark
LY-0820	8.10	8.10	2.50	16×12	395m	多層繞
AMB 007	8.15	6.65	1.85	16×12	95.4m	異形模
PASC8030V-123E	8.15	2.90	2.75	16×8	392m	
ANT8010	8.20	1.20	1.00	16×4	390m	多層繞
ANT8010-1	8.20	1.25	0.95	16×4	390m	多層繞
LSQ1618-R24X	8.25	4.15	4.95	16×8	38.5m	
CW804	8.30	1.30	1.50	16×4	95.5m	
8025	8.30	2.80	2.30	16×8	85.8m	
F1C26	8.30	7.20	1.70	16×12	25.8m	
BGA8f8	8.30	8.30	1.20	16×12	46.2m	
LPH8015	8.30	8.45	1.90	16×12	180m	
LPH8025	8.30	8.45	2.90	16×12	180m	
LPH8030	8.30	8.45	3.50	16×12	180m	
LPH8040	8.30	8.45	4.50	16×12	180m	
3220-511	8.40	5.60	3.10	16×8	64.5m	
6R8	8.40	8.70	2.60	16×12	74m	
LSQ2222A-R18	8.50	6.20	6.15	16×12	391m	
851312	8.50	1.30	1.20	16×4	146m	
8234	8.50	3.60	1.45	16×8	125m	
804525	8.50	5.00	2.75	16×8	389m	多層繞
658521	8.50	6.50	2.10	16×12	28.8m	
TPI8040	8.50	8.50	4.20	16×12	39m	
TPI8040	8.50	8.50	4.20	16×12	193m	多層繞
RL-085-093-01	8.50	8.50	9.30	16×12	10.3m	
801016	8.65	1.30	1.90	16×4	190m	
PWC1008S	8.65	10.50	5.50	16×16	35.4m	
803023	8.70	3.30	2.50	16×8	395m	多層繞
LTA85302G4S3-A1	8.85	3.35	1.10	16×8	145.8m	
W0827	8.85	3.50	3.50	16×8	63m	
853022	8.90	3.30	2.50	16×8	390m	多層繞
CARRIER TAPE ESPA-0804	8.90	8.60	4.40	16×12	128.5m	
32S12C	9.00	4.00	2.80	16×8	65m	
CSS0845D-SERIES	9.00	8.50	5.25	16×12	39.5m	
929240	9.20	9.20	4.00	16×12	37.8m	
803025	9.25	3.25	3.05	16×8	397m	多層繞
LTA-9037-2G4S3-B1	9.30	4.30	1.20	16×8	48.6m	
C4T906	9.30	4.30	2.30	16×8	75m	
853225	9.30	3.60	3.15	16×8	-	
7090	9.30	7.30	5.20	16×12	37.8m	

**昇洲精密股份有限公司****CARRIER-TECH PRECISION CO., LTD**

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

**PS CARRIER TAPE**

UpDate : 2024/04/16

Item	Bo	Ao	Ko	W x P	length	Remark
709025	9.30	7.30	2.50	16×12	75m	
LTA-9075	9.30	7.80	1.00	16×12	54.6m	
937233	9.30	7.20	3.30	16×12	393m	多層繞
579413	9.40	6.00	1.35	16×8	122m	
SOIC14	9.50	6.50	2.10	16×8	97.8m	
LCC20	9.50	9.35	2.70	16×12	73.8m	
969622	9.60	9.60	2.20	16×12	27.6m	
9070	9.60	8.60	4.0	16×12	195m	
SS-00260	9.75	5.55	5.55	16×12	15m	
1.7X7.7	10.00	1.70	0.60	16×4	242m	
982311	10.10	2.55	1.40	16×4	-	
982205	10.20	2.50	0.50	16×4	392m	多層繞
100720	10.20	7.40	1.70	16×12	92m	單層繞
SOIC16	10.30	6.50	2.10	16×8	97.8m	
HSE SERIES	10.50	5.70	2.25	16×8	27m	
3920-3	10.50	5.70	2.25	16×8	394m	多層繞
3920	10.50	5.55	1.20	16×12	-	
4410642	10.60	4.45	4.20	16×8	46.2m	
MS087-10F-TR	9.20	6.80	3.50	16×12	56m	單層繞

昇洲精密股份有限公司

CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PS CARRIER TAPE

UpDate : 2024/05/09

Item	Bo	Ao	Ko	W x P	length	Remark
Nail-7610	1.05	1.05	6.30	24×8	8.6m	
S1205530A	5.70	5.70	14.00	24×16	15m	
HY-3852P-a	6.95	14.50	5.80	24×20	36m	
SLPI076582	7.40	6.70	8.20	24×12	21m	
92747513	7.50	5.30	10.80	24×12	19.8m	
RL-078-100-01	7.80	7.80	10.00	24×16	8.8m	異形模
EP-688	8.10	8.10	3.80	24×16	17.4m	
RL-083-133-01	8.30	8.30	13.30	24×16	7.2m	
WCM 8252 PL	8.50	5.50	3.90	24×12	38.5m	
8904 (74M)	8.75	9.75	2.20	24×16	74m	
0309	9.00	3.30	3.30	24×8	62m	
UT5087060S	9.10	5.40	6.40	24×12	34.2m	
8G2590130B	9.20	2.70	13.30	24×12	15m	
919150	9.20	9.20	5.00	24×16	35m	
SEPI095297(SEPI090595)	9.20	5.20	9.70	24×12	21m	
Part1	9.30	9.30	5.40	24×16	40.2m	
Part2	9.30	9.30	7.20	24×16	30.6m	
RL-093-071-01	9.30	9.30	7.10	24×16	12.7m	
WCM 9050 PL	9.40	5.50	3.90	24×12	195m	多層繞
9X9X4.0(AA622)	9.40	9.40	4.30	24×16	26m	
4UBM001TAP001	9.50	10.60	5.30	24×16	11.8m	
906090	9.60	6.60	9.60	24×12	19.8m	
WCM 9152 PL	9.70	5.80	5.50	24×12	38.5m	
294AL-16	9.75	7.60	5.30	24×12	39.6m	
906012	9.80	6.60	12.40	24×16	13.8m	
215B1142	9.85	4.60	5.00	24×8	40.2m	
BCC0603	9.90	9.90	5.50	24×16	37.8m	
F1M22	10.00	8.80	1.70	24×12	109.8m	
1016864	10.10	6.80	6.40	24×12	10.2m	
LSQ2222A-R22	10.16	5.85	5.95	24×12	29.5m	
SEPI100710	10.20	7.20	10.20	24×16	20.5m	
SEPI106012	10.20	6.20	12.20	24×16	17.5m	
TLVR-100512	10.20	5.20	12.20	24×16	17.5m	
10D3205	10.20	3.40	0.70	24×8	198m	
103410	10.20	3.40	1.00	24×8	160m	
BS/BSF1006	10.20	9.35	7.25	24×16	132m	
10D3240	10.30	3.40	4.25	24×8	170m	
S DIODE Tape	10.30	6.80	2.50	24×12	50m	
RTM-6000	10.30	9.60	2.40	24×12	27m	

昇洲精密股份有限公司

CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PS CARRIER TAPE

UpDate : 2024/05/09

Item	Bo	Ao	Ko	W x P	length	Remark
LSQ2222A-R22A	10.30	6.30	6.40	24×12	97m	
BS1005	10.35	9.30	5.70	24×12	195m	
PA46415	10.40	5.40	10.85	24×12	59m	
HRE SERIES	10.40	7.00	3.90	24×12	18.24m	
BS1004	10.40	9.40	4.40	24X16	193m	多層繞
10D3220	10.50	3.60	2.40	24×8	85.8m	
1058436(4032)	10.50	8.40	3.65	24×12	195m	
3920-2	10.55	5.55	2.25	24×12	74m	
SDRH104R	10.55	10.30	4.00	24×16	51m	
ACA-105550-A1PF-S	10.60	5.60	5.70	24×8	12.6m	
NP4-SDC-1003	10.65	10.65	4.30	24×16	49.8m	
LSQ2929A-R33	10.70	7.90	7.75	24×12	97m	
C4T11D5	10.80	3.30	2.00	24×8	75m	
HY-3522-1-a	10.88	12.58	6.88	24×20	29m	
AA-196	10.90	3.30	1.90	24×8	88m	
1093417	10.90	3.40	1.68	24×8	97.8m	
0411	11.00	4.30	4.30	24×8	50m	
R151-1	11.30	5.30	1.75	24×8	97.8m	
713C-13t	11.30	3.35	3.49	24×8	50m	
F1E21	11.30	11.30	1.80	24×16	97.8m	
LAN-11 Series	11.45	9.90	4.60	24X16	45m	
SPM10040	11.50	10.50	4.20	24×16	190m	
HTR JW03 2411	11.60	3.00	2.20	24×8	24.6m	
CN0312	11.60	3.60	3.60	24×12	189m	多層繞
HY-3578P-a	11.60	11.50	9.45	24×20	21m	
CPV-001-2	11.60	14.57	3.50	24×20	50m	
HP1004	11.70	10.70	4.20	24×16	199m	
HOS2W-R003 1%	11.80	3.80	3.35	24×8	20m	
Part3	11.80	11.80	6.20	24×16	34.5m	
Part4	11.80	11.80	7.20	24×16	29.4m	
TC-9419	11.85	3.47	2.70	24×8	-	
LSQ2222A-R27	11.90	6.00	6.15	24×12	29.5m	
CARRIER TAPE ESPA-1007	11.90	7.40	5.35	24×16	94m	
LY-1060	11.95	10.65	6.15	24×16	31m	
CY-01	12.00	10.70	4.50	24×16	45m	
CY-04	12.00	10.70	5.80	24×16	138m	
PS-PAS-1225	12.05	4.20	2.65	24×8	75m	
PS-PAS-1225-0	12.05	4.20	2.65	24×8	75m	
N-7710M	12.05	6.25	3.70	24×12	-	



昇洲精密股份有限公司

CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PS CARRIER TAPE

UpDate : 2024/05/09

Item	Bo	Ao	Ko	W x P	length	Remark
CSSZ-COVER169F	12.05	6.25	2.15	24×12	-	
4DC0006TAP001	12.10	7.70	13.25	24×16	5.4m	
4DCS033TAP002	12.10	5.90	10.70	24×16	6.2m	
EP-742	12.10	10.50	6.00	24×24	19.3m	
1218329	12.15	8.30	2.90	24×12	56m	
LSQ2222A-R27A	12.15	6.55	6.30	24×12	97m	
TLVR-110511	12.20	6.20	11.30	24×12	17.5m	
LSQ2222A-R30	12.20	6.15	6.15	24×12	29.5m	
0 Type	12.20	10.40	4.25	24×16	190m	
M30-021-219-1	12.20	10.40	5.25	24×16	36m	
10X10X4	12.20	10.90	4.50	24×16	45m	
10X10X3	12.20	10.90	3.50	24×16	50m	
RLP4527	12.25	7.40	1.15	24×12	383.4m	
1912321	12.30	1.90	2.10	24×8	98m	
CC-00067	12.30	7.80	3.50	24×12	51.9m	
EHP-A18	12.30	7.60	6.15	24×12	30.6m	
AHP1004	12.30	10.90	4.70	24×16	190m	
10.5X10.5	12.35	10.55	6.50	24×16	33m	
PWC1210S	12.35	10.30	6.40	24×16	35m	
HOS2W *R002 1%	12.40	4.40	4.50	24×8	17m	
CBA-1204	12.40	4.35	3.90	24×8	49.8m	
CBA-1205	12.40	5.40	3.90	24×8	49.8m	
C412D5	12.40	5.40	2.00	24×8	86.5m	
HOS2W*R002 1%	12.40	4.40	4.50	24×8	45m	
12X12X3.5	12.40	12.40	6.74	24×16	33m	
123021	12.50	3.50	2.50	24×8	85.8m	
AA-168	12.50	4.35	1.90	24×8	88m	
1254535	12.52	4.50	3.55	24×8	49.8m	
12525085	12.70	2.70	1.05	24×8	390m	
SEPI128385	12.70	8.50	8.70	24×16	22m	
CPV-002-1	12.90	16.07	3.50	24×20	50m	
8481 (74M)	12.95	9.80	2.20	24×16	74m	
LASI	13.00	3.50	3.50	24×8	54.6m	
55105091-26V	13.00	5.00	5.80	24×12	36m	
ESPA-1040	13.00	11.00	4.70	24×16	97.5m	
PLCC28 - A	13.00	13.00	4.90	24×16	36.8m	
ESPA-1050	13.00	11.00	5.70	24×16	93m	
802nH-PS	13.05	7.60	7.30	24×16	27.5m	
12812822	13.10	13.10	2.50	24×16	73.8m	

昇洲精密股份有限公司

CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PS CARRIER TAPE

UpDate : 2024/05/09

Item	Bo	Ao	Ko	W x P	length	Remark
ESPI-1207	13.10	13.10	7.90	24×20	25.8m	
LSQ2929A-R43J	13.15	7.90	7.60	24×12	97m	多層繞
1245	13.20	5.90	4.60	24×12	195m	
TIA0907H-900	13.20	10.80	9.50	24×16	20m	
HLAN-10 Series	13.20	11.20	4.45	24×16	46m	
130305	13.30	3.30	5.30	24×8	37.8m	
13715440-1	13.30	12.20	4.00	24×16	49.8m	
13715440	13.30	12.20	4.00	24×20	49.8m	
CPH-002	13.30	12.90	4.00	24×20	49.8m	
MCH1040	13.30	10.50	4.90	24×16	195m	
CHTPW3316	13.40	10.00	5.90	24×16	35.4m	
1211	13.50	12.00	6.40	24×16	192m	
RLF 12560-TR	13.50	13.20	6.20	24×16	190m	
802nH(Coating)	13.60	7.00	6.88	24×12	-	
LAN-005G	13.60	10.35	4.50	24X16	42m	
TSAB1308-191KA	13.70	9.00	9.00	24×16	26m	
F1-A1-043-01	13.80	1.42	1.55	24×4	128m	
HP1203	13.80	12.70	3.70	24×16	48m	
HP1205	13.80	12.70	5.20	24×16	38m	
HP1206	13.80	12.70	6.70	24×16	29m	
16813852	13.80	16.83	2.80	24×24	66.6m	
FUSETESTER 097019	13.90	2.00	2.00	24×4	28.5m	
TSOP28	13.90	8.70	2.10	24×12	86.4m	
1265-2	13.90	13.00	6.40	24×16	32m	
H2WM	14.00	5.50	6.50	24×12	33m	
H2WM-TR3K5J	14.00	4.10	6.50	24×12	33m	
2Type	14.00	13.00	5.25	24×16	130m	
CY-05	14.10	13.40	5.10	24×16	40.2m	
13014140	14.10	13.00	4.00	24×20	50m	
1436525	14.30	2.45	6.45	24×8	32m	
4SJ0820TAP003	14.40	9.90	7.60	24×16	8.6m	
LSQ2929A-R50J	14.40	8.15	7.75	24X12	98m	
N-1010G-a	14.55	7.85	3.70	24×12	-	
N-3010G	14.55	7.85	2.15	24×12	-	
14011232-2	14.57	11.60	3.50	24×16	49.8m	
Semipack009-2	14.60	2.30	2.60	24×8	74m	
DN270	14.60	13.30	6.45	24×20	32m	
EP-729	14.60	13.10	5.40	24×24	13.9m	
HLAN-14	14.70	15.45	4.30	24×24	45m	

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2024/05/09

Item	Bo	Ao	Ko	W x P	length	Remark
2 pin	14.80	8.20	6.30	24×12	13m	
6 pin	14.80	8.20	5.90	24×12	26m	
CARRIER TAPE ESPA-1270	14.90	13.40	8.15	24×20	69.8m	
ESPA1240	14.90	13.40	4.90	24×20	107m	
ESPA-1250	14.90	13.40	5.90	24×20	85.8m	
ESPA-1265	14.90	13.40	7.30	24×20	69.8m	
TO263	14.98	10.85	4.98	24×16	40.2m	
HER 14.5 /4.55 /6.7	15.10	7.20	4.80	24×12	57m	
N-8600GS	15.10	8.70	3.50	24×12	-	
WP2	15.10	3.65	6.15	24×16	30.6m	
WA83	15.20	3.10	6.00	24×16	30.6m	
152152-E	15.20	15.20	6.25	24×20	11m	
92747512	15.30	5.30	10.80	24×12	19.8m	
0515	15.40	4.80	4.80	24×8	40.2m	
HEE SERIES	15.50	8.30	1.80	24×12	27m	
D2PAK	15.50	10.30	5.21	24×16	37.8m	
PLCC-32	15.50	13.10	3.90	24×16	49.8m	
WCM1513	15.50	13.10	5.90	24X16	192m	
CS-MP0054A	15.55	6.75	2.20	24×12	81m	
A08-1	15.60	8.20	5.85	24×12	26m	
REB-1315	15.70	13.40	2.60	24×16	73.8m	
DSQPAK	15.86	10.65	4.92	24×12	37.8m	
16.5X11.5X3.0	16.10	11.80	2.55	24×16	73.8m	
9249 (45M)	16.25	9.55	4.20	24×16	45m	
5416311 (AA187)	16.30	5.40	1.10	24×8	146m	
CC-00051	16.30	16.30	10.10	24×24	22m	
AX-081	16.40	8.20	6.70	24×12	26m	
158158	16.45	17.40	6.30	24×24	26m	
158158-C	16.55	17.40	6.30	24×24	26m	
2424	16.65	20.90	4.00	24×24	51m	
1688338	16.80	8.30	3.80	24×12	52.5m	
9292 (74M)	17.05	9.75	2.20	24×16	74m	
SPS-Ot35-001	17.30	13.10	4.10	24×16	-	

昇洲精密股份有限公司

CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

PS CARRIER TAPE

UpDate : 2024/05/13

Item	Bo	Ao	Ko	W x P	length	Remark
11.7X11.7	11.70	11.70	9.70	32×16	20.7m	
4DC0328TAP001	12.00	10.30	9.40	32×20	7.6m	
9797-1	12.60	12.70	14.10	32×24	15.9m	
4UB0001TAP001	13.60	14.40	12.40	32×24	5.7m	
AHS1370	14.35	14.25	7.55	32×24	27	
4OJ0103TAP001	14.40	12.40	16.60	32×24	4.5m	
4DC0213TAP001	15.00	10.30	12.80	32×16	5.4m	
361-287	15.30	11.40	11.90	32×24	15.9m	
4SJC503TAP001	15.80	12.35	12.90	32×20	5.6m	
361-394	16.05	16.60	11.50	32×24	18m	
T-MWM3S	16.26	7.37	6.80	32×12	28.8m	
PO#510145	16.80	15.50	9.30	32×24	22m	
LAN1614	16.95	14.30	4.55	32×20	-	
LAN1614-A	16.95	14.30	5.05	32×20	32m	
LAN-16G	17.00	10.60	4.50	32×16	42.5m	
0015-L5-4	17.30	17.30	7.95	32×20	21m	
19.4Í11.54	17.40	13.25	2.60	32×16	73.8m	
DC power Jack	17.50	14.90	13.50	32×24	16.2m	
800-nH-1	17.55	5.40	5.80	32×16	36m	
MS168-10C-TR	17.70	14.40	3.50	32x20	56m	
EPIN	17.85	18.00	5.85	32×24	26m	
LAN-171445	17.93	15.30	5.20	32×24	35m	
HIAS-2WS	18.00	5.30	7.00	32×12	-	
AMB005F	18.00	14.40	2.70	32×20	73.8m	
PLCC44	18.00	18.00	4.90	32×24	40m	
SD5022DF	18.30	15.20	7.40	32×20	31.6m	
SD5017DF	18.30	15.20	5.00	32×20	32m	
F1M26	18.30	15.60	2.40	32×20	68m	
MSC0015 TR	18.70	12.20	2.70	32×16	64m	
TSOP-44L	19.00	12.40	2.10	32×16	88.2m	
ESPA-1770	19.10	17.45	7.90	32×24	47.8m	
WA31	19.15	4.60	6.80	32×16	28m	
YJRL-1160	19.20	10.00	4.00	32×16	48m	
H191906	19.40	20.45	6.50	32×24	-	
6P-Battery-S	19.60	10.40	6.90	32×16	30.6m	
CC-00048	19.80	19.80	8.10	32×24	27m	
361-338	20.00	15.80	15.90	32×24	14.7m	
REB-3560	20.20	28.45	3.50	32×32	51.9m	
2005	20.30	5.30	3.80	32×12	52.2m	

**昇洲精密股份有限公司****CARRIER-TECH PRECISION CO., LTD**

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

**PS CARRIER TAPE**

UpDate : 2024/05/13

Item	Bo	Ao	Ko	W x P	length	Remark
532035	20.35	5.30	5.25	32×12	37.8m	
2320438	20.40	2.35	3.85	32×8	49.8m	
532040	20.40	5.30	10.25	32×12	19.8m	
LAP-2014	20.45	14.95	4.50	32×24	45m	
AA-191	20.50	5.50	1.90	32×8	88m	
TSOP-48T	20.60	12.50	2.10	32×16	88.2m	
20180104	20.60	11.50	6.10	32×20	31.8m	
361-372	20.60	15.80	13.50	32×24	16m	
10138370	20.90	12.80	1.35	32×16	-	
361-364	21.00	11.30	13.20	32×20	15m	
WA85	21.15	6.80	8.00	32×16	26m	
WA84-WM03S	21.25	4.60	6.80	32×16	28m	
K16Coolcap3mm	21.30	21.30	10.50	32×32	7m	
K16Coolcap2mm	21.30	21.30	9.50	32×32	7m	
TSOP50	21.40	12.40	2.10	32×16	87m	
MS213-10F-TR	21.60	20.20	3.20	32X32	59.4m	
E21003-AC	22.65	13.15	3.35	32×16	49.8m	
CBA-2005-1G5S2-A1	23.00	5.40	5.40	32×12	37.8m	
MS226-10S-TR	23.10	17.60	2.50	32X24	75m	

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2023/3/29

Item	Bo	Ao	Ko	W x P	length	Remark
361-416	13.60	21.90	16.60	44×36	12.6m	
215B1078	14.40	12.90	6.90	44×20	27m	
361-332	14.80	15.80	13.70	44×32	16.4m	
361-030	15.74	16.80	18.00	44×32	13.7m	
361-429	16.30	13.70	19.70	44×28	10.9m	
361-371	16.90	16.20	21.80	44×32	10m	
361-336	17.50	13.50	20.31	44×20	12m	
361-412	18.10	15.35	14.10	44×20	-	
361-360	18.20	17.40	19.70	44×28	12m	
361-402	18.80	19.20	18.35	44×28	10.2m	
361-403	19.15	16.20	19.00	44×28	10.2m	
361-352	19.65	15.90	12.40	44×20	16.2m	
361-265	20.20	19.00	12.00	44×28	18.5m	
361-341	20.20	19.10	12.00	44×28	18.5m	
361-417	20.20	15.85	15.70	44×32	11.6m	
361-335	20.60	16.30	12.70	44×20	16.2m	
361-281	20.60	17.30	12.70	44×28	18.6m	
361-386	20.70	13.50	13.70	44×20	14.4m	
361-280	20.75	19.90	12.00	44×32	18.3m	
361-358	21.20	13.30	14.60	44×20	14.4m	
361-393	21.20	21.10	19.70	44×36	11.9m	
T-MWM3	21.50	7.50	7.50	44×12	26.4m	
AMB5201TR	21.50	17.70	2.20	44×20	79.2m	
361-273	21.50	15.90	16.50	44×32	13.2m	
361-410	21.60	19.30	12.45	44×32	16.4m	
422110	21.60	42.00	10.80	44×48	18.9m	
361-411	21.85	18.85	16.45	44×32	12.5m	
701001 reel	22.10	12.70	2.50	44×16	74m	
EFD15	22.10	15.70	8.50	44×20	23.4m	
4172209	22.30	4.40	1.50	44×8	122m	
AMB2524	22.35	13.70	2.50	44×20	73m	
2025-CLIP2	23.80	12.80	3.10	44×16	49.8m	
CR2032	24.00	12.30	3.60	44×16	55m	
EFD17-1	24.25	17.30	10.70	44×24	17.5m	
GPS-4083Module	24.30	18.40	3.20	44×24	59.4m	
5324214	24.40	5.40	1.45	44×8	44.6m	
13W12V	24.60	17.60	9.30	44×28	24m	
AA047	25.40	5.30	1.50	44×8	115m	
5325601	25.45	5.30	1.50	44×8	39m	

**昇洲精密股份有限公司****CARRIER-TECH PRECISION CO., LTD**

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

**PS CARRIER TAPE**

UpDate : 2023/3/29

Item	Bo	Ao	Ko	W x P	length	Remark
25526284	25.53	25.53	8.40	44×32	26m	
182503	25.55	18.55	3.20	44×24	58.8m	
22.5Í25.6	25.60	22.50	3.00	44×32	64.2m	
25825837	25.80	25.80	3.70	44×32	49.8m	
AMB004F	25.90	14.80	3.30	44×20	61.8m	
AA881	26.40	8.20	3.60	44×16	53m	
CC26DV	26.65	8.30	3.70	44×16	52.5m	
256610	27.20	22.10	1.70	44×28	102.6m	
EFD20	27.20	22.20	11.70	44×32	16.5m	
AA880(2708032)	27.40	8.40	3.50	44×16	54m	
06-0002-00-A	28.20	16.80	3.20	44×24	60m	
SS-00259	28.60	7.88	5.20	44×16	42.12m	
HLAN-28(50PIN)	29.10	10.90	4.30	44×16	45m	
173008Triplexer Shield	30.60	17.90	8.80	44×24	8.3m	
H-301220	31.40	26.40	3.50	44×32	49.8m	
SKY003F-A	32.30	11.60	2.50	44×16	73.8m	
BH2-2032-01	32.50	16.40	5.60	44×24	37.8m	
61-4525	34.00	10.10	0.60	44×12	77.4m	

# 昇洲精密股份有限公司

## CARRIER-TECH PRECISION CO., LTD

地址：台灣省新竹縣湖口鄉成功路335巷29弄11號

Add:No.11,Aly.29,Ln.335, Chenggong Rd., Hukou Township, Hsinchu County 303, Taiwan

TEL : 886-35905890 FAX : 886-35905887 E-mail : top@carrier-tech.com.tw

### PS CARRIER TAPE

UpDate : 2022/1/14

Item	Bo	Ao	Ko	W x P	length	Remark
RL-083-219-01	8.30	8.30	21.9	56×24	4.2m	
361-355	26.80	13.85	11.80	56×28	18.6m	
361-337	31.90	22.30	13.30	56×32	16.4m	
9830	32.00	19.00	13.10	56×32	16.4m	
CC35D8	35.40	5.40	4.40	56×12	38.5m	
92747514	35.50	7.70	10.80	56×16	19.8m	
CC-200 (33527)	35.80	25.30	7.80	56×32	30.6m	
CC40D9	40.40	5.40	6.40	56×16	32.5m	
CC40D7	40.80	11.20	3.60	56×16	51m	
CC40D2	41.40	11.20	2.76	56×16	51m	